Form 3160-3 (July 1992)

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATE*

FORM APPROVED

OMB NO. 1040-0136 Expires: February 28, 1995

DEI AITHERT OF THE II	VI LIVION		5. LEASE DESIGNATION	AND SERIAL NO.
BUREAU OF LAND MANAG	EMENT		UTU-	81770
ADDI IOATION FOR REPUBLIC			6. IF INDIAN, ALLOTTEE	OR TRIBE NAME
APPLICATION FOR PERMIT	TO DRILL OF	R DEEPEN	N.	/A
TYPE OF WORK	_		7. UNIT AGREEMENT NAM	ME
			BIG VAL	LEY UNIT
TYPE OF WELL			8. FARM OR LEASE NAMI	E, WELL NO.
□ ☑ □ SINGLE	☑ MULTIPLE			
OIL WELL GAS WELL OTHER ZONE	ZONE		NBZ 120)-31-8-24
2. NAME OF OPERATOR	Contact: Jan Nel	son	9.API NUMBER:	
QUESTAR EXPLORATION & PRODUCTION CO.	ľ	an.nelson@questar.com		17-39457
B. ADDRESS	Telphone number		10. FIELD AND POOL, OR	<u> </u>
1571 E. 1700 S. Vernal, Ut 84078		-781-4032 Fax 435-781-4045	•	CNATED Bisvalle
I. LOCATION OF WELL (Report location clearly and in a			11. SEC.,T, R, M, OR BLK	
At Surface / 49/2/ 1966' FSL 668' FWL, NWS			I I OLO., I, II, III, OK BEK	& SONVET ON ANEA
At proposed production zone 4437674 4	10.077310	-109.262871	SEC. 31, T8S,	R24E SLB&M
14. DISTANCE IN MILES FROM NEAREST TOWN OR PO	STOFFICE*		12. COUNTY OR PARISH	13. STATE
37 + / - SOUTH OF VERNAL, UTAH			Uintah	UT
15. DISTANCE FROM PROPOSED LOCATION TO NEAR	EST	16.NO.OF ACRES IN LEASE	17. NO. OF ACRES ASSIG	NED TO THIS WELL
PROPERTY OR LEASE LINE, FT.		İ		
(also to nearest drig,unit line if any)		315.38	4	0
668' +/-				
18.DISTANCE FROM PROPOSED location to nearest we	ll, drilling,	19. PROPOSED DEPTH	20. BLM/BIA Bond No. on	file
completed, applied for, on this lease, ft		13,425	ESB000024	
2,460' + / -				
21. ELEVATIONS (Show whether DF, RT, GR, ect.)		22. DATE WORK WILL START	23. Estimated duration	
5039.1' GR		ASAP	35 days	
24. Attachments	·			
The following,completed in accordance with the requirm	ents of Onshore C			
l. Well plat certified by a registered surveyor. 2. A Drilling Plan		Bond to cover the operations unless	s covered by an exisiting bond o	n file (see
B. A surface Use Plan (if location is on National Forest System La	ande	Item 20 above).		
the SUPO shall be filed with the appropriate Forest Service Offi	·	Operator certification.		
the Got G shall be filed with the appropriate to rest delyice offi	ice).	6. Such other site specific information	and/or plans as may be required	d by the
		authorized officer.		
()				
SIGNED HOLDS	Name (printed/typ	ed) Jan Nelson	DATE	7/20/2007
	-			
TITLE Regulatory Affairs				
(This space for Federal or State office use)				
PERMIT NO. 43-047-39457	APPROVA	N DATE		
pplication approval does not warrant or certify the applicant holds any legal or equitable title			ons thereon	****
CONDITIONS OF APPROVAL, IF ANY			ore necests	
(I II ii) (1)	BRAD	I FY G HILL		

*See Instructions On Reverse Side

Title 18 U.S.C Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the

TITLE ENVIRONMENTAL MANAGER

United States any false, fictitious or fraudulent statements or representations as to any mater within its jurisdiction


RECEIVED

JUL 2 5 2007

CONFIDENTIAL

Federal Approval of this Action is Necessary

DIV. OF OIL, GAS & MINING



Additional Operator Remarks

Questar Exploration & Production Company proposes to drill a well to 13,425' to test the Dakota. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements"

Please see Questar Exploration & Prodcution Company Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields on Townships 07, 08 and 09 South, Ranges 21 to 25 East.

Please see Onshore Order No. 1.

Please be advised that Questar Exploration & Production Company agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is Questar Exploration & Production company via surety as consent as provided for the 43 CFR 3104.2.

ONSHORE OIL & GAS OR LER NO. 1 QUESTAR EXPLORATION & PRODUCTION NBZ 12D-31-8-24

DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

Formation	<u>Depth</u>
Uinta	Surface
Green River	1,465'
Wasatch	4,480'
Mesaverde	6,090'
Sego	8,160°
Castlegate	8,300'
Mancos	8,771
Dakota	12,921'
TD	13,425'

2. Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas. Or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	<u>Depth</u>
Gas	Wasatch	4,480°
Gas	Mesaverde	6,090'
Gas	Mancos	8,771
Gas	Dakota	12,921'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right # A36125 (which was filed on May 7, 1964,) or Red Wash water right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before1989 is not depleting to the Upper Colorado River System, to supply fresh water for drilling purposes.

DRILLING PROGRAM

All water resulting from drilling operations will be disposed of at Red Wash Central Battery Disposal Site; SWSE, Section 27, T7S, R23E or Wonsits Valley Disposal Site; SWNW, Section 12, T8S, R21E.

3. Operator's Specification for Pressure Control Equipment:

- A. 3,000 or 5,000 psi double gate, and 3,000 or 5,000 psi annular BOP, depending on what the rig is equipped with, (schematic attached for both) to 8,900' or intermediate casing point. 10,000 psi double gate, 10,000 psi single gate, and 10,000 psi annular BOP (schematic attached) below intermediate casing point.
- B. Functional test daily
- C. All casing strings shall be pressure tested (0.22 psi/foot or 1500 psi, whichever is greater) prior to drilling the plug after cementing; test pressure shall not exceed the internal yield pressure of the casing.
- D. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 50 percent of internal yield pressure of casing whichever is less. BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc..., for a 3M, 5M and 10M system and individual components shall be operable as designed.

4. Casing Design:

Hole Size	Csg. Size	Top (MD)	Bottom (MD)	Wt.	Grade	Thread	Cond.
17-1/2""	14"	sfc	40'	Steel	Cond.	None	Used
12-1/4"	9-5/8"	sfc	2,200'	36.0	J-55	STC	New
8-3/4"	7"	sfc	8,900'	26.0	HCP-110	LTC	New
6-1/8"	4-1/2"	sfc	13,425'	13.5	P-110	LTC	New

Casing Strengths:		Collapse	Burst	Tensile (minimum)		
9-5/8"	36.0 lb.	J-55	STC	2,020 psi	3,520 psi	394,000 lb.
7"	26.0 lb.	HCP-110	LTC	7,800 psi	9,950 psi	693,000 lb.
4-1/2"	13.5 lb.	P-110	LTC	10,680 psi	12,410 psi	338,000 lb.

ONSHORE OIL & GAS ORDER NO. 1 QUESTAR EXPLORATION & PRODUCTION NBZ 12D-31-8-24

DRILLING PROGRAM

MINIMUM DESIGN FACTORS:

COLLAPSE: 1.125 BURST: 1.10 TENSION: 1.80

Area Fracture Gradient: 0.9 psi/foot Maximum anticipated mud weight: 13.4 ppg Maximum surface treating pressure: 8,500 psi

5. Auxiliary Equipment

A. Kelly Cock – yes

B. Float at the bit - no

- C. Monitoring equipment on the mud system visually and/or PVT/Flow Show
- D. Full opening safety valve on the rig floor yes
- E. Rotating Head yes
 If drilling with air the following will be used:
- F. The blooie line shall be at least 6" in diameter and extend at least 100' from the well bore into the reserve/blooie pit.
- G. Blooie line ignition shall be provided by a continuous pilot (ignited when drilling below 500').
- H. Compressor shall be tied directly to the blooie line through a manifold.
- I. A mister with a continuous stream of water shall be installed near the end of the blooie lines for dust suppression.

Surface hole will be drilled with air, air/mist, foam, or mud depending on hole conditions. Drilling below surface casing will be with water based drilling fluids consisting primarily of fresh water, bentonite, lignite, caustic, lime, soda ash and polymers. No chromates will be used. It is not intended to use oil in the mud, however, in the event it is used, oil concentration will be less than 4% by volume. Maximum anticipated mud weight is 13.4 ppg.

No minimum quantity of weight material will be required to be kept on location.

PVT/Flow Show will be used from base of surface casing to TD.

Gas detector will be used from surface casing depth to TD.

ONSHORE OIL & GAS ORDER NO. 1 QUESTAR EXPLORATION & PRODUCTION NBZ 12D-31-8-24

DRILLING PROGRAM

6. Testing, logging and coring program

- A. Cores none anticipated
- B. DST none anticipated
- C. Logging Mud logging 3000' to TD GR-SP-Induction, Neutron Density
- D. Formation and Completion Interval: Dakota, Mancos, Mesaverde, Wasatch intervals, final determination of completion will be made by analysis of logs. Stimulation Stimulation will be designed for the particular area of interest as encountered.

7. <u>Cementing Program</u>

20" Conductor:

Cement to surface with construction cement.

9-5/8" Surface Casing: sfc – 2,200' (MD)

Lead/Tail Slurry: 0' - 2,200'. 760 sks (1375 cu ft) Rockies LT cement + 0.25 lb/sk Kwik Seal + 0.125 lb/sk Poly-E-Flake. Slurry wt: 13.5 ppg, Slurry yield: 1.81 ft³/sk, Slurry volume: 12-1/4" hole + 100% excess.

7" Intermediate Casing: sfc - 8,900' (MD)

Lead Slurry: 0' – 4,200'. 195 sks (750 cu ft) Halliburton Hi-Fill cement + 0.125 lb/sk Poly-E-Flake. Slurry wt: 11.0 ppg, Slurry yield: 3.84 ft³/sk, Slurry volume: 8-3/4" hole + 25% excess in open hole section.

Tail Slurry: 4,200' – 8,900'. 715 sks (890 cu ft) 50/50 Poz Premium + 0.6% Halad (R)-322 fluid loss + 2.0% Microbond M expander + 5% salt + 0.125 lb/sk Poly-E-Flake. Slurry wt: 14.35 ppg, Slurry yield: 1.24 ft³/sk, Slurry volume: 8-3/4" hole + 25% excess.

4-1/2" Production Casing: sfc - 13,425' (MD)

Lead/Tail Slurry: 4,200' - 13,425'. 845 sks (1310 cu ft) 50/50 Poz Premium cement + 20% SSA-1 + 3 lb/sk Silicalite Compacted + 0.5% Halad(R)-344 + 0.2% Halad(R)-413 + 0.2% HR-12 + 0.2% Super CBL + 0.2% Suspend HT. Slurry wt: 14.0 ppg, Slurry yield: $1.55 \, \mathrm{ft}^3/\mathrm{sk}$, Slurry volume: 6-1/8" hole + 20% excess in open hole section.

*Final cement volumes to be calculated from caliper log with an attempt to be made to circulate cement to the surface on the intermediate string and 4,200' on the production string. A bond log will be run across the zone of interest and across zones as required by the authorized officer to insure protection of natural resources.

ONSHORE OIL & GAS ORDER NO. 1 QUESTAR EXPLORATION & PRODUCTION NBZ 12D-31-8-24


DRILLING PROGRAM

8. Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards

No abnormal temperatures or pressures are anticipated. No H2S has been encountered in or known to exist from previous wells drilled to similar depths in the general area. Maximum anticipated bottom hole pressure equals approximately 9,350 psi. Maximum anticipated bottom hole temperature is 255° F.

DRILLING PROGRAM

SCHEMATIC DIAGRAM OF 3 000 PSI BOP STACK









EXHIBIT A CONTINUED

6x17 - Tabata Radiat 7 Voi 55 No 223 = 1039 November , 1083 / Rum and Familations




3M CHOKE MANIFOLD EQUIPMENT — CONFIGURATION OF CHOKES MAY VARY






2 5M CHOKE MANIFOLD EQUIPMENT — CONFIGURATION OF CHOKES MAY VARY

त्र प्रेट क्ष-प्राप्त त्रीलं ११-१७-व्हें केंग्रं का عسوادا عسد محراها





I 4 10M and 15M Cholte Manifold Equipment -- Configuration of choices may vary

[541/R39328] \$581,27 .1989]

QUESTAR EXPLORATION & PRODUCTION CO. NBZ 12D-31-8-24 1966' FSL 668' FWL NWSW (LOT 3), SECTION 31, T8S, R24E UINTAH COUNTY, UTAH LEASE # UTU-81770

ONSHORE ORDER NO. 1

MULTI – POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the NBZ 12D-31-8-24 on July 3, 2007. Weather conditions were hot and sunny at the time of the onsite. In attendance at the inspection were the following individuals:

Paul Buhler

Bureau of Land Management

Brandon McDonald

Bureau of Land Management

Don Allred

Uintah Engineering & Land Surveying

Jan Nelson

Questar Exploration & Production, Co.

1. Existing Roads:

The proposed well site is approximately 37 miles south of Vernal, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

There will be no improvements made to existing roads.

2. Planned Access Roads:

Please see Questar Exploration & Production company Standard Operating Practices dated October 18, 2005, for Mesa Verde formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 & 09 South, Ranges 21 to 25 East.

Refer to Topo Map B for the location of the proposed access road.

. Location of Existing Wells Within a 1 – Mile Radius:

Please refer to Topo Map C.

Location of Existing & Proposed Facilities:

Please see Questar Exploration & Production company Standard Operating Practices dated October 18, 2005, for Mesa Verde formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 & 09 South, Ranges 21 to 25 East.

Refer to Topo Map D for the location of the proposed pipeline.

Pipeline will be 6" or smaller.

Location and Type of Water Supply:

Please see Questar Exploration & Production company Standard Operating Practices dated October 18, 2005, for Mesa Verde formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 & 09 South, Ranges 21 to 25 East.

6. Source of Construction Materials:

Please see Questar Exploration & Production company Standard Operating Practices dated October 18, 2005, for Mesa Verde formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 & 09 South, Ranges 21 to 25 East.

7. <u>Methods of Handling Waste Materials:</u>

Please see Questar Exploration & Production company Standard Operating Practices dated October 18, 2005, for Mesa Verde formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 & 09 South, Ranges 21 to 25 East.

An enhanced evaporation system will be used for evaporating fluids from reserve pit after drilling and completion are completed for this well. The system will be monitored regularly to ensure that operation is being done in a safe and environmentally protective manner. The system will be controlled during daylight hours by our lease operators and the pump will only be operated when wind direction and velocity are favorable to eliminate over - spray on vegetation. The evaporation system is structured on a fifth wheel portable trailer that runs on diesel fuel only.

8. Ancillary Facilities:

Please see Questar Exploration & Production company Standard Operating Practices dated October 18, 2005, for Mesa Verde formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 & 09 South, Ranges 21 to 25 East.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

10. Plans for Reclamation of the Surface:

Please see Questar Exploration & Production company Standard Operating Practices dated October 18, 2005, for Mesa Verde formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 & 09 South, Ranges 21 to 25 East.

Interim Reclamation

Please see attached Interim Reclamation plan.

Once the well is put onto production, Questar Exploration & Production Company will reclaim as much of the well pad as possible that will allow for operations to continue in a safe and reasonable manner. Reseeding will be done in the spring and fall of each year to allow winter precipitation to aid in the success of reclaimation.

Seed Mix:

Interim Reclamation:

6 lbs. Hycrest Crested Wheat 6 lbs. Needle & Threadgrass

Final Reclamation:

2

3 lbs. Western Wheatgrass, 3 lbs. Needle & Threadgrass, 2 lbs. Fourwing Saltbush 1 lb. Globe Mellow, 4 lbs. Hycrest Crested Wheat

11. Surface Ownership:

The well pad and access road are located on lands owned by:

Bureau of Land Management 170 South 500 East Vernal, Utah 84078

12. Other Information

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

A Class III paleontological survey was conducted by Intermountain Paleo Consulting. A copy of this report was submitted directly to the appropriate agencies by Stephen D. Sandau. The inspection resulted in the location of no fossil resources. However, if vertebrate fossil(s) are found during construction a paleoontologist should be immediately notified. Questar Exploration & Production Company will provide paleo monitor if needed.

No Drilling or construction will take place during the Pronghorn season May 10 thru June 20.

Construct erosion control structure near corner 7. Install low water crossing in major drainage.

QUESTAR EXPLORATION & PRODUCTION, CO. Request for Exception to Buried Pipeline For NBZ 12D-31-8-24

QEP respectfully requests an exception to burying this pipeline. We understand the standard Condition of Approval (COA) that may be included in the approved Application for Permit to Drill (APD) is: "As a Best Management Practice (BMP), the pipeline would be buried within the identified construction width of an access corridor that contains the access road and pipelines. The construction width for the access corridor would increase from 30 feet, by an additional 20 feet, to a total of 50 feet. Exceptions to this BMP may be granted where laterally extensive, hard indurated bedrock, such as sandstone, is at or within 2 feet of the surface; and, soil types with a poor history of successful rehabilitation." QEP will install the pipeline within the access corridor and will avoid cross-country installation when possible. Our reason for requesting a surface line is based on the following justification:

Class IV VRM

- This area's designated Visual Resource Management is classified as Class IV. The Class IV objective is to provide for management activities that require major modification to the existing character of the landscape. The level of change to the landscape can be high. The management activities may dominate the view and may be the major focus of the viewer attention. However, every attempt should be made to minimize the impact of these activities through careful location, minimal disturbance, and repetition of the basic visual elements of form, line, color, and texture.
- QEP feels that surface pipe will comply with this classification more so than buried pipe due to the amount of surface disturbance that will be required to bury it. We believe surface installation within the access corridor will minimize the disturbance so that the pipeline does not dominate the view.

Environmental and Safety Concerns

- Buried pipe will greatly increase surface disturbance and habitat fragmentation. The soil in this area has a poor history of successful rehabilitation. Buried pipe will have an increased corrosion rate and would need to be dug up for repairs or replacement; the constant surface disturbance will not allow time for successful reclamation.
- Increasing surface disturbance will greatly increase noxious and invasive weed infestation.

- With the increased corrosion rate, buried pipe may have undetectable leaks that could go unnoticed for months. Small leaks may turn into large plumes of underground hazards because they are not easily monitored and not seen right away. An undetected leak also increases the potential for explosive incidents. Once detected, the surface will need to be disturbed, once again, to dig up the line and replace or repair it.
- Accidents associated with pipe breaks during construction activities could increase substantially as the number of buried lines increases.
- The additional surface disturbance will increase the risk of disturbing paleontological sites.

Operational and Mechanical Concerns for Gas Lines

- Cathodic protection will be required for buried pipe. Cathodic protection requires anode beds that must be maintained. This will add substantial costs in labor and material. Additional power lines will need to be installed to the anode beds. The additional costs for equipment and labor will be approximately \$50,000.00 per section.
- Pipeline markers need to be used with buried pipe. This will add costs in labor and material.
- Every tie in requires a valve. The average distance between valves is approximately ¼ mile. Valves will have to be placed in "freeze boxes" or "valve boxes". Valve boxes will be considered confined space which increases the manpower needed to repair or replace valves. Every valve box will also require bright yellow guard rails.
- Additional equipment required for buried pipe can include blades/dozers, trenchers (cutting or blasting in hard rock), side booms, etc. which increases installation costs.
- Buried pipe must have fusion bonded epoxy (FBE) coating. FBE pipe will cost an additional \$2.00 per foot compared to bare pipe.
- This pipeline has the potential for being upgraded/upsized to a larger pipe diameter depending on production volumes. If upsizing is required, the pipe will need to be dug up which will cause additional surface disturbance and will not allow adequate time for successful reclamation.
- Surface lines are sometimes relocated to accommodate new locations; this is done in an effort to minimize the amount of pipe needed and the amount of surface disturbed. If this pipe is buried, this will no longer be an option.

Lessee's or Operator's Representative:

Jan Nelson Red Wash Rep. Questar Expl. & Prod. Co. 1571 E. 1700 S. Vernal, Utah 84078 (435) 781-4032

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Questar Exploration & Production Company will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Questar Exploration & Production Company, it's contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

7/20/2007

Date

Ked Wash Representative

QUESTAR EXPLR. & PROD.

NBZ #12D-31-8-24

LOCATED IN UINTAH COUNTY, UTAH SECTION 31, T8S, R24E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHWESTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: SOUTHWESTERLY




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


06 13 07 MONTH DAY YEAR


РНОТО


TAKEN BY: D.A. | DRAWN BY: C.P. | REVISED: 00-00-00


















APD RECEIVED: 07/25/2007		API NO. ASSIG	SNED: 43-047	-39457		
WELL NAME: NBZ 12D-31-8-24						
OPERATOR: QUESTAR EXPLORATION & (N5085		PHONE NUMBER:	435-781-4032	2		
CONTACT: JAN NELSON	<u> </u>					
PROPOSED LOCATION:	_	INSPECT LOCATN	BY: /	/		
NWSW 31 080S 240E		ml. D	T - · · ·			
SURFACE: 1966 FSL 0668 FWL BOTTOM: 1966 FSL 0668 FWL		Tech Review	Initials	Date		
		Engineering				
COUNTY: UINTAH LATITUDE: 40.07731 LONGITUDE: -109.2629		Geology				
UTM SURF EASTINGS: 648121 NORTHINGS: 443 FIELD NAME: BIG VALLEY (791	7574	Surface				
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-81770 SURFACE OWNER: 1 - Federal	1	PROPOSED FORMAT		A		
RECEIVED AND/OR REVIEWED:	LOCATI	ON AND SITING:				
✓ Plat	R	649-2-3.				
Bond: Fed[1] Ind[] Sta[] Fee[]		Unit: BIG VALLEY R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception				
(No. ESB000024)	Unit:					
Potash (Y/N)	$ $ $ $ $ $ $ $ $ $ $ $ $ $					
Oil Shale 190-5 (B) or 190-3 or 190-13						
Water Permit	11					
(No. 49-2153)		-				
RDCC Review (Y/N)		rilling Unit				
(Date:)	- 11	Board Cause No:				
WH Fee Surf Agreement (Y/N)	H	Eff Date: Siting:				
NA Intent to Commingle (Y/N)						
Theore to conditing to \17.17	R	649-3-11. Dire	ctional Dril	.1		
COMMENTS: Sop, Sepans	ju.					
STIPULATIONS: 1 Section Opportunity	wa					
2 Spacing &	à p					
	V					



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

July 27, 2007

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2007 Plan of Development Big Valley Unit,

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2007 within the Big Valley, Uintah County, Utah.

API# WELL NAME LOCATION

(Proposed PZ Dakota)

43-047-39456 NBZ 10D-31-8-24 Sec 31 T08S R24E 2214 FSL 2205 FEL 43-047-39457 NBZ 12D-31-8-24 Sec 31 T08S R24E 1966 FSL 0668 FWL 43-047-39458 NBZ 14D-31-8-24 Sec 31 T08S R24E 0831 FSL 1715 FWL

This office has no objection to permitting the wells at this time.


/s/ Michael L. Coulthard

bcc: File - Big Valley Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:7-27-07





MICHAEL R. STYLER Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA
Division Director

July 30, 2007

Questar Exploration & Production Co. 1571 E 1700 S Vernal, UT 84078

Re:

NBZ 12D-31-8-24 Well, 1966' FSL, 668' FWL, NW SW, Sec. 31, T. 8 South,

R. 24 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-39457.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal Office



Operator:	Questar Exploration & Production Co.			
Well Name & Number	NBZ 12D-31-8-2	4		
API Number:	43-047-39457			
Lease:	UTU-81770			
Location: NW SW	Sec. 31	T. 8 South	R. 24 East	

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

UNITED STATES DEF

RECEIVED VERUS SUBMIT IN TRIPLICATE	ICE
-------------------------------------	-----

OMB NO. 1040-0136

PARTMENT OF THE INTERIOR	scat HH Ot.	8 0 L 7
BUREAU OF LAND MANAGEMENT	2987 JUL 24	An 0.41

5. LEASE DESIGNATION AND SERIAL NO.

			6. IF INDIAN, ALLOTTEE (OR TRIBE NAME	
APPLICATION FOR PERMIT	TO DRILL OF		N/.	Α	
TYPE OF WORK	١.	ONEMO OF LAND TIGHT.	7. UNIT AGREEMENT NAM	IE	
DRILL 🗹	DRILL DEEPEN			BIG VALLEY UNIT	
TYPE OF WELL				, WELL NO.	
	☑ MILLTIDUS				
- SINGLE	MULTIPLE ZONE		NBZ 12D	-31-8-24	
OIL WELL GAO WELL STREET			9.API NUMBER:	<u> </u>	
2. NAME OF OPERATOR	Contact: Jan Nels	an.nelson@questar.com	43-047-39	457	
QUESTAR EXPLORATION & PRODUCTION CO.		an.nerson@questan.com	10. FIELD AND POOL, OR		
3. ADDRESS	Teiphone number	781-4032 Fax 435-781-4045	UNDESIG		
1571 E. 1700 S. Vernal, Ut 84078			11. SEC.,T, R, M, OR BLK		
4. LOCATION OF WELL (Report location clearly and in a			71. OEO., 1, 10, III, OIL DEIL		
At Surface 1966' FSL 668' FWL, NWS	W (LU1 3), SECTIO	N 31, 103, N24E	SEC. 31, T8S,	R24E SLB&M	
At proposed production zone	etoericet		12. COUNTY OR PARISH		
14. DISTANCE IN MILES FROM NEAREST TOWN OR PO	STOFFICE		Uintah	UT	
37 + / - SOUTH OF VERNAL, UTAH		16.NO.OF ACRES IN LEASE	17. NO. OF ACRES ASSIG		
15. DISTANCE FROM PROPOSED LOCATION TO NEAR! PROPERTY OR LEASE LINE, FT.	- 51				
(also to nearest drig, unit line if any)		315.38	4	0	
668' +/-					
18.DISTANCE FROM PROPOSED location to nearest we	li, drilling,	19. PROPOSED DEPTH	20. BLM/BIA Bond No. on	file	
completed, applied for, on this lease, ft	. , . ,	13,425	ESB000024		
2,460' +/-		13,428			
21. ELEVATIONS (Show whether DF, RT, GR, ect.)		22. DATE WORK WILL START	23. Estimated duration		
5039.1' GR		ASAP	35 days		
24. Attachments					
			·		
The following, completed in accordance with the require	nents of Onshore C	il and Gas Order No. 1, shall be a	ttached to this form:		
Well plat certified by a registered surveyor.		4. Bond to cover the operations unless		n file (see	
2. A Drilling Plan		Item 20 above).			
3. A surface Use Plan (if location is on National Forest System L	ands,	5. Operator certification.			
the SUPO shall be filed with the appropriate Forest Service Of	fice).	6. Such other site specific information	and/or plans as may be require	d by the	
		authorized officer.	4		
Frank A.K.					
SIGNED / JAM J JSh	Name (printed/typ	ed) Jan Nelson	DATE	7/20/2007	
TITLE Regulatory Affairs	_				
(This space for Federal or State office use)			and the same of th	ECEIVED	
			1	DEC 2.0 000=	
PERMIT NO.	APPROV	AL DATE		DEC 2 8 2007	
Application approval does not warrant or certify the applicant holds any legal or equitable title	to those rights in the subject le	ase which would entitle the applicant to conduct operati	ons thereon	* ** B O O O O O O	
CONDITIONS OF APPROVAL, IF ANY:			CA Q	Figil, cas & mining	
1.11		istant Field Manager			
APPROVED BY	TITLE Land	s & Mineral Resources	DATE	12-13-2007	
1010	*See Instr	uctions On Reverse Side	//PD414	A EIEI D AEEIAE	
Title 18 U.S.C Section 100	, makes it a crime for any po	erson knowingly and willfully to make to any depa	rtment or agency of the VEKNA	AL FIELD OFFICE	

CONFIDENTIAL



CONDITIONS OF APPROVAL ATTACHED

NOS 06/22/07

NOTICE OF APPROVAL OT PP 2238A



UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE**

VERNAL. UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Questar Exploration & Production Co. NWSW Lot 3, Sec. 31, T8S, R24E

Well No: API No:

NBZ 12D-31-8-24

43-047-39457

Lease No:

Location:

UTU-81770

Agreement: **Big Valley Unit**

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	James Ashley	(435) 781-4470	(435) 828-7874
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
NRS/Enviro Scientist:	Paul Buhler	(435) 781-4475	(435) 828-4029
NRS/Enviro Scientist:	Karl Wright	(435) 781-4484	(435) 828-7381
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	,
NRS/Enviro Scientist:	·	(435) 781-4476	
NRS/Enviro Scientist:	Chuck Macdonald	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:	Jannice Cutler	(435) 781-3400	(435) 828-3544
NRS/Enviro Scientist:	Michael Cutler	(435) 781-3401	(435) 828-3546
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist:	Darren Williams	(435) 781-4447	()
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	(435) 828-3545
		Fax: (435) 781-3420	,

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	_	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

Page 2 of 6 Well: NBZ 12D-31-8-24

11/29/2007

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

Surface COAs:

- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.
- Conditions for Approval are in the APD or SOP.

Page 3 of 6 Well: NBZ 12D-31-8-24

11/29/2007

DOWNHOLE COAs:

SITE SPECIFIC DOWNHOLE COAs:

Site Specific Drilling Plan COA's

A formation integrity test shall be performed at the intermediate casing shoe.

Surface site specific COA's

 Operator must notify any active gilsonite operation within 2 miles of the location 48 hrs prior to any blasting associated with this well.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
 is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
 Vernal Field Office.

Page 4 of 6 Well: NBZ 12D-31-8-24 11/29/2007

• The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
 Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum
 Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 5 of 6 Well: NBZ 12D-31-8-24

11/29/2007

OPERATING REQUIREMENT REMINDERS:

 All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.

- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will
 be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be
 reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major
 Events" will be reported in writing within 15 days. "Minor Events" will be reported on the
 Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

Page 6 of 6 Well: NBZ 12D-31-8-24 11/29/2007

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field
 Office Petroleum Engineers will be provided with a date and time for the initial meter calibration
 and all future meter proving schedules. A copy of the meter calibration reports shall be
 submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API
 standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All
 measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

DIV. OF OIL, GAS & MINING

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING ON THE TOTAL TOTAL SERIAL NUMBER:

CUNFIDEN HAL	UTU-81770
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: BIG VALLEY UNIT
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY	9. API NUMBER: 4304739457
3. ADDRESS OF OPERATOR: 11002 E. 17500 S. CITY VERNAL STATE UT ZIP 84078 PHONE NUMBER: (435) 781-4331	10. FIELD AND POOL, OR WILDCAT: UNDESIGNATED
4. LOCATION OF WELL	
FOOTAGES AT SURFACE: 1966' FSL 668' FWL LOT 3	COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWSW 31 8S 24E	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
✓ NOTICE OF INTENT ☐ ACIDIZE ☐ DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER: APD EXTENSION
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	es, etc.
Questar Exploration & Production Company hereby requests a 1 year extension on the NBZ	12D-31-8-24
,	
A conveyed by the	
Approved by the Utah Division of	
Utan Division of	
Oil, Gas and Mining	
Date: 07-31-08A	
Date	
By: Track III	
NAME (PLEASE PRINT) Jan Nelson TITLE Regulatory Affairs	3
SIGNATURE AND MUSON DATE 7/28/2008	
SIGNATURE DATE 1726/2006	
(This space for State use only)	
COPY SENT TO OPERATOR	
	RECEIVED
Date: 8.4.2008	แนวกวกคอ
(5/2000) Initials: (See Instructions on Reverse Side)	JUL 3 0 2008

Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

Well Name: NBZ 12D-31-8-24 Location: 1966 FSL 668 FWL NWSW Lot 3 Sec. 31 T8S R24E Company Permit Issued to: Questar Exploration & Production Company Date Original Permit Issued: 7/30/2007	
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.	i
Following is a checklist of some items related to the application, which should verified.	<u>be</u>
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes □ No ☑	
Have any wells been drilled in the vicinity of the proposed well which would affe the spacing or siting requirements for this location? Yes ☐ No ☑	ect
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑	
Have there been any changes to the access route including ownership, or right of-way, which could affect the proposed location? Yes □ No ☑	t-
Has the approved source of water for drilling changed? Yes□No☑	
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑	
ls bonding still in place, which covers this proposed well? Yes ☑ No □	
Jan Walson 7/28/2008	
/\$ignature Date	
Title: Regulatory Affairs	
Representing: Questar Exploration & Production Company	2-4 []

RECEIVED

JUL 3 0 2008

	III HERE OF LETT	7			EODA ADDROVA	D.
Form 3160-5 (November 1994) DED	UNITED STATES				FORM APPROVE OMB No. 1004-01	35
· DLI	ARTMENT OF THE I				Expires July 31, 19	96
	REAU OF LAND MANA			5. Lease S		
SUNDRY	UTU-81					
Do not use this abandoned well.	6. If India	n, Allottee or Tribe	Name			
				N/A		
SUBMIT IN TRIPLIC	CATE - Other Instr	ructions on revers	e side	7. If Unit or	CA/Agreement, Name	and/or No.
. Type of Well		<u> </u>		BIG VAI	LEY UNIT	
Oil Well X Gas Well	Other				ame and No.	
Name of Operator				NBZ 121	D-31-8-24	
Questar Exploration & Production	ı Co	Contact: Laura Bills	•	9. API W		
a. Address		3b. Phone No. (inc				
	1.114 94079	The second of th	inde di ca codo)		nd Pool, or Explorat	ory Area
1002 East 17500 South Vernal		435-781-4301			·	ory raica
Location of Well (Footage, Sec., T., R., A		45			IGNATED	·
966' FSL 668' FWL, LOT 3, SE	EUTION 31, 185, R24	4 E		11. County	or Parish, State	
				UINTAH	I, UTAH	
					·	.
. CHECK APPROPRIATE BOX(ES)			OR OTHER I	DATA	<u> </u>	
TYPE OF SUBMISSION	TYPE OF ACTION	ON				<u> </u>
Notice of Intent	Acidize	Deepen	Proc	duction (Start/Resum	e) Water S	hut-Off
	Alter Casing	Fracture Treat	Rec	lamation	Well In	tegrity
Subsequent Report	Casing Repair	New Constructi	ion Rec	omplete	Y Other	
	Change Plans	Plug and Abanc	ion 🔲 Ten	porarily Abandon	APD E	KTENSION
Final Abandonment Notice	Convert to Injection	Plug Back	☐ Wat	ter Disposal		
Describe Proposed or Completed Operation If the proposal is to deepen directionally Attach the Bond under which the work v Following completion of the involved oper Testing has been completed. Final Aba determined that the site is ready for final inspec	or recomplete horizontally, will be performed or provide rations. If the operation res ndonment Notices shall be	give subsurface locations and the Bond No. on file with oults in a multiple completion	I measured and BLM/BIA. Re or recompletion	true vertical depths e equired subsequent rep in a new interval,	of all pertinent mark ports shall be filed a Form 3160-4 shall	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work v Following completion of the involved oper Testing has been completed. Final Aba determined that the site is ready for final inspec	or recomplete horizontally, will be performed or provide rations. If the operation res ndonment Notices shall be a tion.)	give subsurface locations and, the Bond No. on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	xers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work v Following completion of the involved oper Testing has been completed. Final Aba determined that the site is ready for final inspectually the proposed operation in the proposed operation in the proposed operation.	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No. on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	xers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work v Following completion of the involved oper Testing has been completed. Final Aba determined that the site is ready for final inspectually the proposed operation in the proposed operation in the proposed operation.	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No. on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	xers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work varieties of the involved oper Testing has been completed. Final Abadetermined that the site is ready for final inspectues the site is ready for final inspectues that the site is ready for final inspectues	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No. on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work varieties of the involved oper Testing has been completed. Final Abadetermined that the site is ready for final inspections are the proposed operation.	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No. on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work varieties of the involved open Testing has been completed. Final Aba determined that the site is ready for final inspections are appropriately production.	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No. on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work v Following completion of the involved oper Testing has been completed. Final Aba determined that the site is ready for final inspecuestar Exporation & Production	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No. on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work v Following completion of the involved oper Testing has been completed. Final Aba determined that the site is ready for final inspecuestar Exporation & Production	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No. on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work varieties of the involved open Testing has been completed. Final Aba determined that the site is ready for final inspections are appropriately production.	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work v Following completion of the involved oper Testing has been completed. Final Aba determined that the site is ready for final inspecuestar Exporation & Production	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work varieties of the involved oper Testing has been completed. Final Aba determined that the site is ready for final inspections are the site is ready for final inspections.	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths of quired subsequent rep in a new interval, a eclamation, have been	of all pertinent mark norts shall be filed a Form 3160-4 shall a completed, and th	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work varieties of the involved open Testing has been completed. Final Aba determined that the site is ready for final inspections are appropriately production.	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and the Bond No on file with ults in a multiple completion filed only after all requirements a 2 year extension of	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths equired subsequent reprint a new interval, is celamation, have been for the NBZ 121	of all pertinent marlioris shall be filed to Filed a Form 3160-4 shall be completed, and the D-31-8-24.	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work varieties of the involved open Testing has been completed. Final Abadetermined that the site is ready for final inspectations are appropriately production.	or recomplete horizontally, will be performed or provide rations. If the operation resindonment Notices shall be infin.) Co., hereby requests	give subsurface locations and, the Bond No on file with ults in a multiple completion filed only after all requirement	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths equired subsequent reprint a new interval, sectamation, have been for the NBZ 121	of all pertinent marlioris shall be filed to Filed a Form 3160-4 shall be completed, and the D-31-8-24.	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work value of the Involved open Testing has been completed. Final Abadetermined that the site is ready for final inspectuestar Exporation & Production MAPD approval date: 12/13/26	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infin.) Co., hereby requests	give subsurface locations and the Bond No on file with ults in a multiple completion filed only after all requirements a 2 year extension of	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths equired subsequent reprint a new interval, sectamation, have been for the NBZ 121	of all pertinent markorts shall be filed to Filed a Form 3160-4 shall be completed, and the D-31-8-24.	cers and zones within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work volume completion of the involved oper Testing has been completed. Final Abadetermined that the site is ready for final inspectuestar Exporation & Production MAPD approval date: 12/13/26	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infin.) Co., hereby requests	give subsurface locations and the Bond No. on file with ults in a multiple completion filed only after all requirements a 2 year extension of CONDITIONS	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths equired subsequent reprint a new interval, sectamation, have been for the NBZ 121	of all pertinent marlioris shall be filed to Filed a Form 3160-4 shall be completed, and the D-31-8-24.	kers and zones within 30 days be filed once
If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved oper Testing has been completed. Final Abadetermined that the site is ready for final inspectuestar Exporation & Production MAPD approval date: 12/13/26 I hereby certify that the foregoing is true a	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infin.) Co., hereby requests	give subsurface locations and the Bond No on file with ults in a multiple completion filed only after all requirements a 2 year extension of	I measured and BLM/BIA. Re or recompletion ents, including r	true vertical depths equired subsequent reprint a new interval, sectamation, have been for the NBZ 121	of all pertinent markorts shall be filed to Filed a Form 3160-4 shall a completed, and the D-31-8-24.	within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work rollowing completion of the involved oper Testing has been completed. Final Abadetermined that the site is ready for final inspective that the site is ready for final inspective that the site is ready for final inspective that the site is ready for final inspective. In APD approval date: 12/13/26 Thereby certify that the foregoing is true a me (Printed/Typed)	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infin.) Co., hereby requests	give subsurface locations and the Bond No on file with ults in a multiple completion filed only after all requirements a 2 year extension of CONDITIONS	I measured and BLM/BIA. Re or recompletion ents, including room the APD on the APD	true vertical depths equired subsequent repring a new interval, sectamation, have been for the NBZ 121	of all pertinent markorts shall be filed to Filed a Form 3160-4 shall be completed, and the D-31-8-24.	within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved open Testing has been completed. Final Abadetermined that the site is ready for final inspectuestar Exporation & Production LM APD approval date: 12/13/20 I hereby certify that the foregoing is true a me (Printed/Typed) aura Bills	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infin.) Co., hereby requests	give subsurface locations and the Bond No on file with ults in a multiple completion filed only after all requirements a 2 year extension of CONDITIONS	I measured and BLM/BIA. Re or recompletion ents, including room the APD on the APD	true vertical depths cquired subsequent reprin a new interval, sectamation, have been for the NBZ 12I	JUL 15	within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved open Testing has been completed. Final Abadetermined that the site is ready for final inspectuestar Exporation & Production LM APD approval date: 12/13/20 I hereby certify that the foregoing is true a me (Printed/Typed) aura Bills	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infin.) Co., hereby requests	conditions condit	I measured and BLM/BIA. Re or recompletion ents, including roon the APD on the APPR	true vertical depths cquired subsequent reprin a new interval, sectamation, have been for the NBZ 12I	of all pertinent markorts shall be filed to Filed a Form 3160-4 shall a completed, and the D-31-8-24.	within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved oper Testing has been completed. Final Abadetermined that the site is ready for final inspectures are Exporation & Production LM APD approval date: 12/13/20 I hereby certify that the foregoing is true a me (Printed/Typed) aura Bills	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infine.) Co., hereby requests 007	conditions Conditions Title Associate R March 13, 2	I measured and BLM/BIA. Re or recompletion ents, including roon the APD on the APPR egulatory A	true vertical depths cquired subsequent reprin a new interval, sectamation, have been for the NBZ 12I	JUL 15	within 30 days be filed once to operator has
Attach the Bond under which the work Following completion of the involved open Testing has been completed. Final Abadetermined that the site is ready for final inspectuestar Exporation & Production LM APD approval date: 12/13/20 I hereby certify that the foregoing is true a time (Printed/Typed) aura Bills gnature	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infine.) Co., hereby requests 007	CONDITIONS Title Associate R Date March 13, 2 ACE FOR JEPERAL OR:	I measured and BLM/BIA. Re or recompletion ents, including roon the APD on the APPR egulatory A	true vertical depths cquired subsequent reprin a new interval, sectamation, have been for the NBZ 12I	JUL 15	within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved oper Testing has been completed. Final Abadetermined that the site is ready for final inspectures are exported to the proposal date: 12/13/26 APD approval date: 1	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infine.) Co., hereby requests 007	conditions Conditions Title Associate R Date March 13, 2 ACE FOR FEDERAL OR: Title	I measured and BLM/BIA. Re or recompletion ents, including roon the APD on the APD egulatory At egulatory At 0009	true vertical depths quired subsequent regin a new interval, eclamation, have been for the NBZ 12I	JUL 15	within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved oper Testing has been completed. Final Abadetermined that the site is ready for final inspectures are exported to the proposal date: 12/13/26 APD approval date: 1	or recomplete horizontally, will be performed or provide rations. If the operation resudenment Notices shall be infine.) Co., hereby requests 007	conditions Conditions Title Associate R Date March 13, 2 ACE FOR FEDERAL OR: Title	I measured and BLM/BIA. Re or recompletion ents, including roon the APD on the APD egulatory At egulatory At 0009	true vertical depths quired subsequent regin a new interval, eclamation, have been for the NBZ 12I	JUL 15	within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved open Testing has been completed. Final Abadetermined that the site is ready for final inspectures are exported to the production and the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the production and the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the site is ready for final inspectures. I hereby certify that the foregoing is true at the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the site is ready for final inspectures are exported to the site is ready for final inspectures. I hereby certify that the foregoing is true at the site is ready for final inspectures are exported to the site is ready for final inspectures.	or recomplete horizontally, will be performed or provide rations. If the operation resemble the recomment Notices shall be infine.) Co., hereby requests of the recommendation of the recomment Notices shall be infine.)	conditions Conditions Conditions Title Associate R March 13, 2 ACE FOR FEDERAL OR S Title Petro	I measured and BLM/BIA. Re or recompletion ents, including roon the APD on the APD egulatory At egulatory At 0009	true vertical depths cquired subsequent reprin a new interval, sectamation, have been for the NBZ 12I	JUL 15	within 30 days be filed once to operator has
If the proposal is to deepen directionally Attach the Bond under which the work of Following completion of the involved open Testing has been completed. Final Abadetermined that the site is ready for final inspectures that the site is ready for f	or recomplete horizontally, will be performed or provide rations. If the operation resendance Notices shall be infon.) Co., hereby requests of the performed or recomplete shall be infon.) This sp.	conditions Title Associate R Date March 13, 2 ACE FOR TEDERAL OR S Title Petro Office	I measured and BLM/BIA. Re or recompletion ents, including roon the APD on the APD egulatory At egulatory At 0009	true vertical depths quired subsequent regin a new interval, eclamation, have been for the NBZ 12I	JUL 15	within 30 days be filed once to operator has

UDOGN

fraudulent statements or representations as to any matter within its jurisdiction.

CONFIDENTIAL

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-39457

Well Name: NBZ 12D-31-8-24 Location: 1966' FSL 668' FWL, LOT 3, SEC. 31, T8S, R2	4E
Company Permit Issued to: Questar Exploration & Pro Date Original Permit Issued: 12/13/2007	duction Co.
The undersigned as owner with legal rights to drill on above, hereby verifies that the information as submitted approved application to drill, remains valid and does remains to the control of the contr	ed in the previously
Following is a checklist of some items related to the a verified.	pplication, which should be
If located on private land, has the ownership changed agreement been updated? Yes ☐ No ☑	, if so, has the surface
Have any wells been drilled in the vicinity of the propo the spacing or siting requirements for this location? Yo	
Has there been any unit or other agreements put in pl permitting or operation of this proposed well? Yes□N	
Have there been any changes to the access route inc of-way, which could affect the proposed location? Yes	· · ·
Has the approved source of water for drilling changed	? Yes□No☑
Have there been any physical changes to the surface which will require a change in plans from what was disevaluation? Yes□No☑	
Is bonding still in place, which covers this proposed w	ell? Yes ☑No □
Aruna Bills	3/13/2009
Signature	Date
Title: ASSOCIATE REGULATORY AFFAIRS	
Representing: Questar Exploration & Production Co.	

CONDITIONS OF APPROVAL

QEP Uintah Basin, Inc.

Notice of Intent APD Extension

Lease:

UTU-81770

Well:

NBZ 12D-31-8-24

Location:

LOT 3 Sec 31-T8S-R24E

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 12/13/2011.
- 2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Ryan Angus of this office at (435) 781-4430

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES					FORM 9			
		E DESIGNATION AND SERIAL NUMBER: 31770						
SUNDI	6. IF I	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
Do not use this form for propo bottom-hole depth, reenter plu DRILL form for such proposals		For CA AGREEMENT NAME: 'ALLEY						
1. TYPE OF WELL Gas Well		L NAME and NUMBER: 12D-31-8-24						
2. NAME OF OPERATOR: QUESTAR EXPLORATION & PR	ODUCTION CO				NUMBER: 7394570000			
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ve	rnal, UT, 84078 435 78	P 31-4362	PHONE NUMBER: Ext		.D and POOL or WILDCAT: 'ALLEY			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL QTR/QTR, SECTION, TOWNSHI	TD DANGE MEDIDIAN.			COUNT UINTA	HA			
	1 Township: 08.0S Range: 24.0E Meridia	an: S		STATE UTAH				
11.	CK APPROPRIATE BOXES TO INDIC	CATE NA	ATURE OF NOTICE, REPO	RT, OR OT	HER DATA			
TYPE OF SUBMISSION			TYPE OF ACTION					
	ACIDIZE		ALTER CASING		CASING REPAIR			
V NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME			
7/30/2010	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIO	NS	CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	FRACTURE TREAT		NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	F	PLUG AND ABANDON		PLUG BACK			
	☐ PRODUCTION START OR RESUME	F	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON			
	☐ TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL			
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	□ s	SI TA STATUS EXTENSION	✓	APD EXTENSION			
Report Date.	☐ WILDCAT WELL DETERMINATION		OTHER	ОТН	HER:			
	MPLETED OPERATIONS. Clearly show all				etc.			
Questar Exploration	n and Production Company hon for the APD on the above	iereby Canti	/ requests a one yea ioned well	r	Approved by the			
exterisi	on for the Arb on the above	сари	oned wen.		Utah Division of			
				Oi	I, Gas and Mining			
				Datas	I1 20, 2000			
				Date:_	July 29, 2009			
				Ву: <u></u>	rally fill			
					4 4			
NAME (PLEASE PRINT) Jan Nelson	PHONE NUMB 435 781-4331	ER	TITLE Permit Agent					
SIGNATURE N/A			DATE 7/29/2009					



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394570000

API: 43047394570000 **Well Name:** NBZ 12D-31-8-24

Location: 1966 FSL 0668 FWL QTR NWSW SEC 31 TWNP 080S RNG 240E MER S

Company Permit Issued to: QUESTAR EXPLORATION & PRODUCTION CO

Date Original Permit Issued: 7/30/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? • Yes • No Utah Division of Oil, Gas and Mining

Signature: Jan Nelson **Date:** 7/29/2009

Title: Permit Agent Representing: QUESTAR EXPLORATION & PRODUCTIO Pate: July 29, 2009

Bv:

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

(for state use only)

ROUTING	
CDW	

Change of Operator (Well Sold)	X -	Operator	Name Chan	ge						
The operator of the well(s) listed below has chan	ged,	effectiv	ve:	6/14/2010						
FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265			TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265							
Phone: 1 (303) 308-3048				Phone: 1 (303)	308-3048					
CA No.				Unit:		BIG VA	LLEY			
WELL NAME	SEC	TWN	N RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS		
SEE ATTACHED										
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was			41	FORMER		6/20/2010				
 (R649-8-10) Sundry or legal documentation wa (R649-8-10) Sundry or legal documentation wa 						6/28/2010				
 The new company was checked on the Depart. 				-		6/28/2010	•	6/24/2010		
4a. Is the new operator registered in the State of U		oi Coi		Business Number		764611-0143		6/24/2010		
5a. (R649-9-2)Waste Management Plan has been re	ceive	d on:		Requested			-			
5b. Inspections of LA PA state/fee well sites comp				n/a						
5c. Reports current for Production/Disposition & S				ok	_					
6. Federal and Indian Lease Wells: The BL					e merger, na	me change,				
or operator change for all wells listed on Federa	al or l	Indian	leases c	on:	BLM	8/16/2010	BIA	not yet		
7. Federal and Indian Units:	•	•								
The BLM or BIA has approved the successor 8. Federal and Indian Communication Ag					:	8/16/2010	•			
			•	•						
The BLM or BIA has approved the operator of 9. Underground Injection Control ("UIC"					5 T	N/A				
Inject, for the enhanced/secondary recovery un	الا ز it/pro	visat fo	r the xx	oproved OIC F		nsier of Author	-			
DATA ENTRY:	ni pre	ղեն 10	i uje wa	atei disposai we	m(s) nstea c	on:	6/29/2010	•		
 Changes entered in the Oil and Gas Database 	on:			6/30/2010						
2. Changes have been entered on the Monthly Op		or Cha	inge Sn		_	6/30/2010				
3. Bond information entered in RBDMS on:			-×-8• ≈p	6/30/2010	•	0/30/2010	•			
4. Fee/State wells attached to bond in RBDMS on	:			6/30/2010	- ,					
5. Injection Projects to new operator in RBDMS of	n:			6/30/2010	_					
6. Receipt of Acceptance of Drilling Procedures for	or AF	D/Nev	v on:		− n/a					
BOND VERIFICATION:										
1. Federal well(s) covered by Bond Number:				ESB000024						
2. Indian well(s) covered by Bond Number:				965010693	-					
3a. (R649-3-1) The NEW operator of any state/fe	e wel	l(s) list	ted cove	ered by Bond N	umber	965010695				
3b. The FORMER operator has requested a release	e of li	iability	from th	neir bond on:	n/a					
LEASE INTEREST OWNER NOTIFIC		_			· · · · · · · · · · · · · · · · · · ·	•				
4. (R649-2-10) The NEW operator of the fee wells	has b	een co	ntacted	and informed b	y a letter fr	om the Division				
of their responsibility to notify all interest owner	rs of t	his cha	inge on	•	n/a					
COMMENTS:			_					·		

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	DIVISION OF OIL, GAS AND N	MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: See attached				
SUNDR	Y NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached				
	new wells, significantly deepen existing wells below of laterals. Use APPLICATION FOR PERMIT TO DRILL	current bottom-hole depth, reenter plugged wells, or to L. form for such proposals.	7. UNIT or CA AGREEMENT NAME: See attached				
1 TYPE OF WELL	1 TYPE OF WELL OIL WELL GAS WELL OTHER						
2 NAME OF OPERATOR:	D 1 0 0 1 16	700	See attached 9. API NUMBER:				
Questar Exploration and I	Production Company // 2	085	Attached				
1050 17th Street, Suite 500	Denver STATE CO	PHONE NUMBER: (303) 672-6900	10. FIELD AND POOL, OR WILDCAT: See attached				
4. LOCATION OF WELL FOOTAGES AT SURFACE: See a	ttached		COUNTY: Attached				
QTR/QTR, SECTION, TOWNSHIP, RAN	NGE, MERIDIAN:						
			STATE: UTAH				
11 CHECK APPI	ROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA				
TYPE OF SUBMISSION		TYPE OF ACTION					
NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION				
Approximate date work will start:	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL				
6/14/2010	CASING REPAIR CHANGE TO PREVIOUS PLANS	NEW CONSTRUCTION	TEMPORARILY ABANDON				
0/14/2010	CHANGE TUBING	OPERATOR CHANGE	TUBING REPAIR				
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG AND ABANDON PLUG BACK	VENT OR FLARE				
(Submit Original Form Only)	CHANGE WELL STATUS		WATER DISPOSAL				
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	PRODUCTION (START/RESUME) RECLAMATION OF WELL SITE	WATER SHUT-OFF				
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	✓ отнея: Operator Name Change				
12 DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all	pertinent details including dates, depths, volume					
Effective June 14, 2010 Que change involves only an intemployees will continue to continue to be covered by Federal Bond Number: 96 Utah State Bond Number: Fee Land Bond Number: 79944 The attached document is	uestar Exploration and Production ternal corporate name change at the period be responsible for operations of bond numbers: 05002976 (BLM Reference No. E. 965003033) 05003033 065003033 065003033 065003033 0765003033 0765003033 0765003033 0765003033 0765003033 0765003033 0765003033	on Company changed its name to and no third party change of operar f the properties described on the a	QEP Energy Company. This name tor is involved. The same attached list. All operations will				
NAME (PLEASE PRINT) Morgan An	derson And one	TITLE Regulatory Affairs 0/23/2010	Analyst				
	V -1 15/18/11/2	DATE 0/23/2010					
This space for State use only)							

(5/2000)

RECEIVED

JUN 2 8 2010

(See Instructions on Reverse Side)

DIV. OF OIL, GAS & MINING

APPROVED 61301 2009
Carlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) BIG VALLEY effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
RWS 3ML-9-9-24	09	0905	240F	4304735483	15190	lease Federal	GW	S	
RWS 10ML-6-9-24	06			4304735653	17644	Federal	GW	P	
CWD 4ML-32-8-24	32			4304735684					_
NBZ 4D-30-8-24	30			4304733084	17644	Federal		S	
NBZ 6ML-30-8-24	30			4304737229	16630	Federal	GW	OPS	C
NBZ 8ML-30-8-24	30			4304737230	16810	Federal	GW	OPS	C
NBZ 10ML-30-8-24	30			4304737231	17644	Federal	GW	P	
NBZ 12D-30-8-24	30			4304737232	16695	Federal	GW	OPS	<u>C</u>
NBZ 14ML-30-8-24	30			4304737233	16631	Federal	GW	OPS	C
NBZ 6D-31-8-24	31				16696	Federal	GW	OPS	С
NBZ 4D-31-8-24				4304737235	16611	Federal	GW	OPS	C
NBZ 13ML-29-8-24	31			4304737236	16576	Federal	GW	OPS	C
NBZ 8D-31-8-24	29			4304737237	17644	Federal	GW	P	
NBZ 2ML-31-8-24	31			4304737238	17644	Federal	GW	P	
NBZ 11D-29-8-24	31			4304737239	17098	Federal	GW	OPS	C
NBZ 5D-29-8-24	29			4304737240	16612	Federal	GW	OPS	C
NBZ 9D-29-8-24	29			4304737241	16632	Federal	GW	OPS	C
NBZ 15ML-29-8-24	29			4304737244	15677	Federal	GW	OPS	C
CWD 3D-32-8-24				4304737246	16697	Federal	GW	OPS	С
The second secon				4304737274	16923	Federal	GW	OPS	C
CWD 14ML-32-8-24				4304737277	17644	Federal	GW	P	
CWD 16D-32-8-24				4304737278	17644	Federal	GW	P	
RWS 2ML-5-9-24				4304737306	17644	Federal	GW	P	
RWS 8D-5-9-24				4304737307	16614	Federal	GW	OPS	C
RWS 10ML-5-9-24				4304737308	17644	Federal	GW	S	
RWS 12ML-5-9-24				4304737309	17644	Federal	GW	P	
RWS 14D-5-9-24				4304737310	17644	Federal	GW	P	
RWS 16ML-5-9-24				4304737311	16698	Federal	GW	OPS	C
RWS 12ML-6-9-24				4304737312	17644	Federal	GW	P	
RWS 16ML-6-9-24				4304737335	17644	Federal	GW	P	
CWD 10D-32-8-24				4304737347	17644	Federal	GW	P	
RWS 6D-5-9-24				4304737350	17644	Federal	GW	P	
RWS 4ML-5-9-24				4304737351	17644	Federal	GW	P	
RWS 8D-6-9-24				4304737352	17644	Federal	GW	P	
RWS 2D-6-9-24				4304737411	17272	Federal	GW	OPS	C
RWS 4ML-6-9-24				4304737412	17644	Federal	GW	S	
RWS 6D-6-9-24				4304737413	17644	Federal	GW	P	
RWS 14D-6-9-24	06	090S	240E	4304737414	17644	Federal	GW	P	
RWS 5ML-9-9-24	09	090S	240E	4304738645	17273	Federal	GW	OPS	С
RWS 12ML-9-9-24				4304738646	17274			OPS	С
NBZ 16D-31-8-24	31	080S	240E	4304739435			GW	APD	C
NBZ 10D-31-8-24				4304739456			GW	APD	C
NBZ 12D-31-8-24				4304739457				APD	C
NBZ 14D-31-8-24	31	080S	240E	4304739458				APD	C
CWD 13D-32-8-24				4304739464				APD	C
RWS 7D-6-9-24	06	090S	240E	4304739494				APD	C
RWS 13D-6-9-24	06	090S	240E	4304739495				APD	C
RWS 11D-6-9-24				4304739496				APD	C
RWS 9D-6-9-24				4304739497				APD	C
RWS 3D-6-9-24				4304739498				APD	C
RWS 15D-6-9-24				4304739500				APD	C

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) BIG VALLEY effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
					•	lease			
RWS 5D-6-9-24	06	090S	240E	4304739501		Federal	GW	APD	C
RWS 7D-5-9-24	05	090S	240E	4304739502		Federal	GW	APD	C
RWS 11D-5-9-24	05	090S	240E	4304739503		Federal	GW	APD	C
RWS 9D-5-9-24	05	090S	240E	4304739504		Federal		APD	C
RWS 13D-5-9-24	05	090S	240E	4304739505		Federal		APD	C
RWS 15D-5-9-24	05			4304739506		Federal		APD	C
RWS 3D-5-9-24	05	090S	240E	4304739507		Federal	GW	APD	C
RWS 1D-5-9-24	05			4304739508		Federal	GW	APD	C
NBZ 5D-31-8-24	31			4304739511		Federal		APD	C
CWD 11D-32-8-24	32			4304739535		Federal	GW	APD	C
CWD 15D-32-8-24	32	080S	240E	4304739536		Federal	GW	APD	C
RWS 5D-5-9-24	05			4304739673		Federal	GW	APD	C
RWS 1D-6-9-24	06			4304739674		Federal	GW	APD	C
NBZ 3D-31-8-24	31			4304739675		Federal		APD	C
NBZ 16D-30-8-24	30			4304740355		Federal	GW	APD	C
NBZ 15D-30-8-24	30			4304740356		Federal	GW	APD	C
CWD 6D-32-8-24	32			4304740357		Federal	GW	APD	C
CWD 2D-32-8-24	32			4304740358		Federal	GW	APD	C
CWD 5D-32-8-24	32			4304740359		Federal		APD	C
NBZ 10D-29-8-24	29			4304740360		Federal	GW	APD	C
NBZ 8D-29-8-24	29			4304740361		Federal	GW	APD	C
NBZ 14D-29-8-24	29			4304740362		Federal		APD	C
NBZ 16D-29-8-24	29			4304740363		Federal	GW	APD	C
NBZ 12D-29-8-24	29			4304740364			GW	APD	C
NBZ 13D-30-8-24	30			4304740365				APD	C
RWS 4D-9-9-24	09			4304740470		Federal		APD	C
NBZ 9D-30-8-24	30			4304740471				APD	C
NBZ 11D-30-8-24	30			4304740472		Federal		APD	C
NBZ 7D-30-8-24	30			4304740473				APD	C
NBZ 2D-29-8-24	29			4304740476		Federal		APD	C
CWD 7D-32-8-24	32			4304740477				APD	C
CWD 9D-32-8-24	32			4304740478				APD	C
RWS 6D-9-9-24				4304740479				APD	C
RWS 13D-9-9-24	09			4304740480				APD APD	C
NBZ 6D-29-8-24	29			4304740483		Federal		APD	C
NBZ 1D-30-8-24				4304740484				APD	C
NBZ 2D-30-8-24				4304740485		Federal		APD APD	
NBZ 3D-30-8-24				4304740486				APD APD	C C

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankert

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS UDOGM

AUG 16 20:0

DIV. OF OIL, GAS a mine

STATE OF UTAH					FORM 9			
	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND M		3	5.LEASE DESIGNATION AND SERIAL NUMBER UTU-81770				
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:							
Do not use this form for proposition not use this form for such proposals.		F or CA AGREEMENT NAME: /ALLEY						
1. TYPE OF WELL Gas Well		L NAME and NUMBER: 12D-31-8-24						
2. NAME OF OPERATOR: QEP ENERGY COMPANY					NUMBER: 7394570000			
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ver			NUMBER: Ext		LD and POOL or WILDCAT: /ALLEY			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNT				
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSW Section: 31	P, RANGE, MERIDIAN: L Township: 08.0S Range: 24.0E Meridia	ın: S		STATE				
11. CHE	CK APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPORT	, OR OT	HER DATA			
TYPE OF SUBMISSION			TYPE OF ACTION					
	ACIDIZE		ALTER CASING		CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME			
7/30/2011	☐ CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN	□ F	FRACTURE TREAT		NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	□ F	PLUG AND ABANDON		PLUG BACK			
	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON			
	☐ TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL			
DRILLING REPORT	☐ WATER SHUTOFF	□ s	SI TA STATUS EXTENSION		APD EXTENSION			
Report Date:	WILDCAT WELL DETERMINATION		OTHER	оті	HER:			
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all p	ertinen	t details including dates, depths.	volumes	etc.			
I .	y hereby requests a one year			l				
	the above captioned we	ell.			Approved by the			
					Utah Division of I, Gas and Mining			
				O I	ii, Gas and Milling			
			l l	Date:	August 02, 2010			
				F	. 00.ci/W			
				ву: <u> (т</u>	soo April			
NAME (PLEASE PRINT) Jan Nelson	PHONE NUMBE 435 781-4331	ER	TITLE Permit Agent					
SIGNATURE			DATE					
N/A			7/28/2010					



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394570000

API: 43047394570000 **Well Name:** NBZ 12D-31-8-24

Location: 1966 FSL 0668 FWL QTR NWSW SEC 31 TWNP 080S RNG 240E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 7/30/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ire revision. Following is a checklist of some items related to the application, which should be verified. • If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
* Is bonding still in place, which covers this proposed well?

Signature: Jan Nelson **Date:** 7/28/2010

Title: Permit Agent Representing: QEP ENERGY COMPANY

Date: August 02, 2010

Oil, Gas and Mining

Bv:

Sundry Number: 17042 API Well Number: 43047394570000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES	_	FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	sals to drill new wells, significantly deepen e agged wells, or to drill horizontal laterals. Us		7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ver		E NUMBER: 068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSW Section: 3:	IP, RANGE, MERIDIAN: 1 Township: 08.0S Range: 24.0E Meridian: S	5	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT	, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	ALTER CASING	☐ CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME
7/30/2012	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	☐ DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	☐ OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT	□ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	□ WILDCAT WELL DETERMINATION	OTHER	OTHER:
	DMPLETED OPERATIONS. Clearly show all perti		
QEP ENERGY COMPAI	NY HEREBY REQUESTS A ONE Y PD ON THE ABOVE CAPTIONED	YEAR EXTENSION FOR TH	
			Date: 08/01/2011
			ocario
		E	By: Dolly III
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Valyn Davis	435 781-4369	Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 7/28/2011	

Sundry Number: 17042 API Well Number: 43047394570000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394570000

API: 43047394570000 **Well Name:** NBZ 12D-31-8-24

Location: 1966 FSL 0668 FWL QTR NWSW SEC 31 TWNP 080S RNG 240E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 7/30/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔵 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY

Sundry Number: 19875 API Well Number: 43047394570000

			FORM 9
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURC	FS	
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen igged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ver		NE NUMBER: 3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	P, RANGE, MERIDIAN: L Township: 08.0S Range: 24.0E Meridian	: S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
Approximate date work will start:	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
✓ SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud: 10/30/2011	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
10/30/2011	☐ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	APD EXTENSION
inaport Duta.	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIPE PROPOSED OF CO	MPLETED OPERATIONS. Clearly show all per		<u></u>
	RILLED 40' OF 20" CONDUCT		volumes, etc.
CONDL	JCTOR PIPE. CEMENTED WITH		
			Accepted by the
			Utah Division of
			l, Gas and Mining
		FOF	R RECORD ONLY
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 10/31/2011	

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Cor	npany	QEP ENER	RGY COMI	PANY		
Well Name	:	NBZ 12D-	31-8-24			
Api No:	43-047-394	1 57 Le	ease Type	FEDER	<u>AL</u>	
Section 31	Township_	08S Ran	ge 24E	County_	UIN	ГАН
Drilling Con	itractor	PETE MAR	RTIN DRLO	GR	IG#_	BUCKET
SPUDDE	D:					
	Date	10/30/2011				
	Time	8:00 AM				
	How	DRY				
Drilling wi Commenc	[]] e:					
Reported by_		DAVID	HARDING	3	·	
Telephone#_		(435) 8	<u> 828-0396</u>			
Date	10/28/2011	Signed	CHD			

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

			ENTITY ACTIO	N FORM				
Operator:	QEP I	Energy Company		Ope	erator Ad	count N	umber:	N 3700
Address:	11002	East 17500 South		Operator Account Number: N 3700				
	city V	ernal		······				
	state	UT	zip 84078		F	Phone No	ımber: _	(435) 781-4369
Well 1								
API Nu	mber	Well	Name	QQ	Sec	Twp	Rng	County
430473	39457	NBZ 12D-31-8-24		NWSW		88	24E	UINTAH
Action	Code	Current Entity Number	New Entity Number	s	pud Da	te	Ent	ity Assignmen
×	B	99999	17644	1	0/30/20	11	11/	1001110 10110
Comment	s:		1,01,				11/	7///
	KTA	4				C(
Nell 2								
API Nur	mber	Well I	Name	QQ	Sec	Twp	Rng	County
Action (Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments	s:							
Vell 3								
API Nun	nber	Well N	lame	QQ	Sec	Twp	Rng	County
Action C	ode	Current Entity Number	New Entity Number	Sı	oud Dat	e	Entity Assignment Effective Date	
Comments);							
					· · · · · · · · · · · · · · · · · · ·	,ii		
ION CODES A - Establi	ish new e	ntity for new well (single we	eli only)	Valy	n Davis			
B - Add ne	ew well to	existing entity (group or ur	nit well)	-	(Please F			
C - Re-ass	sign well f	from one existing entity to a	another existing entity	<u> </u>		Wa	Wo	
D - Re-ass E - Other <i>(</i>	iign well f Explain ii	rom one existing entity to a n 'comments' section)	new entity	Signal		ffolio A	-14	44101004
_ = = = = = = = = = = = = = = = = = = =		·· commente section)	RECEIVED	Regu	natory A	ffairs An	aıyst	11/2/2011

(5/2000)

NOV 0 2 2011

Sundry Number: 20900 API Well Number: 43047394570000

			FORM 9
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		I GRA 3
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	sals to drill new wells, significantly deepen igged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ver		NE NUMBER: 3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSW Section: 31	I P, RANGE, MERIDIAN: 1 Township: 08.0S Range: 24.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR
☐ NOTICE OF INTENT	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
Approximate date work will start:	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
☐ SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	□ PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
Report Date:	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	☐ APD EXTENSION
11/30/2011	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR CO	DMPLETED OPERATIONS. Clearly show all per	tinent details including dates, depths,	volumes, etc.
NO ACTIVITY OF	N THIS WELL FOR THE MONTH	FOR NOVEMBER 2011.	
			Accepted by the
			Utah Division of
			I, Gas and Mining
		FOR	R RECORD ONLY
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		12/5/2011	

Sundry Number: 22057 API Well Number: 43047394570000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9			
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770					
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ental laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24			
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000			
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meri	idian: S	STATE: UTAH			
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION			
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
✓ DRILLING REPORT		SI TA STATUS EXTENSION				
Report Date: 1/1/2012	WATER SHUTOFF		APD EXTENSION			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF DECEMBER 2012. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 12, 2012 NAME (PLEASE PRINT) PHONE NUMBER TITLE						
Valyn Davis	PHONE NUMB 435 781-4369	Regulatory Affairs Analyst				
SIGNATURE N/A		DATE 1/11/2012				

Sundry Number: 22804 API Well Number: 43047394570000

	FORM 9		
ı	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	oposals to drill new wells, significantly dee reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		ONE NUMBER: 3-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meridian	: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 1/31/2012	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	APD EXTENSION
1,01,2012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show all po		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 06, 2012
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		2/6/2012	

Sundry Number: 23603 API Well Number: 43047394570000

	STATE OF UTAH				FORM 9
ι	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI			5.LEASE DESIGNATION ANI UTU-81770	O SERIAL NUMBER:
SUNDR	6. IF INDIAN, ALLOTTEE OF	R TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT BIG VALLEY	NAME:			
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBE NBZ 12D-31-8-24	R:
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047394570000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30		NE NUMBER: 3068 Ext	9. FIELD and POOL or WILE BIG VALLEY	DCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Me	eridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE	Па	LTER CASING	CASING REPAIR	
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	С	HANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	☐ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	NEW CONSTRUCTION	
24.0 5. 110.1. 50.1	OPERATOR CHANGE		LUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFEREN	T FORMATION
SPUD REPORT Date of Spud:					II FORMATION
	REPERFORATE CURRENT FORMATION		DETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL	
Report Date: 2/29/2012	WATER SHUTOFF	∐ sı	TA STATUS EXTENSION	APD EXTENSION	
2/20/2012	WILDCAT WELL DETERMINATION	□ o	THER	OTHER:	
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show THIS WELL FOR THE MONT	TH OF	FEBRUARY 2012.	epths, volumes, etc. Accepted by t Utah Division Oil, Gas and Mil FOR RECOR March 07, 20	of ning D ONLY
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	IBER	TITLE Regulatory Affairs Analyst		
SIGNATURE N/A			DATE 3/5/2012		

Sundry Number: 25313 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	tip, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meri	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 4/30/2012	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
470072012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show a	NTH OF MARCH 2012.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 09, 2012
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE 5/2/2012	
N/A		5/2/2012	

Sundry Number: 26418 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meri	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
5/31/2012		OTUED.	OTHER:
44 DECORIDE BRODOCED OR	WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show	all martiness datable in alcohom datas	<u> </u>
	THIS WELL FOR THE MONTH 2012.	-	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 07, 2012
NAME (PLEASE PRINT)	PHONE NUMB		
Valyn Davis	435 781-4369	Regulatory Affairs Analys	st
SIGNATURE N/A		DATE 6/4/2012	

Sundry Number: 29317 API Well Number: 43047394570000

STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal I n for such proposals.		7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,		DNE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:		CHANGE TUBING	CHANGE WELL NAME CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:		COMMINGLE PRODUCING FORMATIONS	□ CONVERT WELL TYPE □ NEW CONSTRUCTION
Date of Work Completion.		PLUG AND ABANDON	PLUG BACK
SPUD REPORT		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF ☐ 5	SI TA STATUS EXTENSION	APD EXTENSION
8/31/2012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON 1	COMPLETED OPERATIONS. Clearly show all pe THIS WELL FOR THE MONTHS OF AUGUST 2012.	F JUNE, JULY, AND	epths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 30, 2012
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 8/28/2012	

Sundry Number: 30882 API Well Number: 43047394570000

	STATE OF UTAH				FORM 9
ι	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND M		3	5.LEASE DES UTU-81770	IGNATION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN,	ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.	ly deep zontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA BIG VALLEY	AGREEMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NAM NBZ 12D-3	E and NUMBER: 31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBE 430473945	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 3		NE NUMBER: -3068 Ext	9. FIELD and BIG VALLEY	POOL or WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E M	eridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	T, OR OTHE	R DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	CASI	NG REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHAI	NGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CON	VERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT	□ NEW	CONSTRUCTION
	OPERATOR CHANGE		PLUG AND ABANDON	PLUG	BACK
SPUD REPORT	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECO	DMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		PORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		/ENT OR FLARE		ER DISPOSAL
Report Date: 10/1/2012	☐ WATER SHUTOFF	□ s	SI TA STATUS EXTENSION	∟ APD	EXTENSION
	WILDCAT WELL DETERMINATION		OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF SEPTEMBER 2012. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 18, 2012 NAME (PLEASE PRINT) PHONE NUMBER TITLE					
Valyn Davis	435 781-4369	NIBER	Regulatory Affairs Analyst		
SIGNATURE N/A			DATE 10/8/2012		

Sundry Number: 31754 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		IONE NUMBER: 8-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NWSW Section:	HP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meridia	n: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
- Approximate date from this class.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
10/31/2012		OTHER	OTHER:
	WILDCAT WELL DETERMINATION		<u>'</u>
	COMPLETED OPERATIONS. Clearly show all particles with the month of the		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 06, 2012
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 11/6/2012	
IN/ A			

Sundry Number: 32829 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9		
ι	DEPARTMENT OF NATURAL RESOURG DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Mer	idian: S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
✓ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
Report Date: 11/30/2012		SITA STATUS EXTENSION			
	WILDCAT WELL DETERMINATION	☐ OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF NOVEMBER 2012. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 05, 2012 NAME (PLEASE PRINT)					
NAME (PLEASE PRINT) Valyn Davis	PHONE NUME 435 781-4369	BER TITLE Regulatory Affairs Analyst			
SIGNATURE N/A		DATE 12/4/2012			

Sundry Number: 33480 API Well Number: 43047394570000

	STATE OF UTAH				FORM 9
ι	DEPARTMENT OF NATURAL RESOL DIVISION OF OIL, GAS, AND N		i	5.LEASE DESIGNATION AND UTU-81770	ND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE C	OR TRIBE NAME:	
	posals to drill new wells, significan reenter plugged wells, or to drill hor n for such proposals.			7.UNIT or CA AGREEMEN BIG VALLEY	T NAME:
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMB NBZ 12D-31-8-24	ER:
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047394570000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078		NE NUMBER: -3068 Ext	9. FIELD and POOL or WIL BIG VALLEY	LDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E N	1eridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		LTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		HANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	P	LUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	□ R	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERI	ENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□s	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDO	N .
	TUBING REPAIR	□ v	ENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	□s	II TA STATUS EXTENSION	APD EXTENSION	
12/31/2012	WILDCAT WELL DETERMINATION		ATHER	OTHER:	i
12 DESCRIPE PROPOSED OR	COMPLETED OPERATIONS. Clearly sho		rtinent details including detay d	ļ.	
	THIS WELL FOR THE MON			Accepted by Utah Division Oil, Gas and M FOR RECOR January 07,	n of ining RD ONLY
NAME (PLEASE PRINT)	PHONE NU	MBER	TITLE		
Valyn Davis	435 781-4369		Regulatory Affairs Analyst		
SIGNATURE N/A			DATE 1/2/2013		

Sundry Number: 34578 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Me	ridian: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOI	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR		☐ WATER DISPOSAL ☐
Report Date: 1/31/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
.,,,,,,,,,	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show THIS WELL FOR THE MONT	ΓΗ OF JANUARY 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 11, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 2/7/2013	

RECEIVED: Feb. 07, 2013

Sundry Number: 35575 API Well Number: 43047394570000

STATE OF UTAH			FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Merio	dian: S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL ☐		
Report Date: 2/28/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
2,20,20.0	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF FEBRUARY 2013. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 14, 2013					
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst			
SIGNATURE N/A		DATE 3/13/2013			

Sundry Number: 36087 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meri	dian: S	STATE: UTAH
11. CHECH	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
3/31/2013		SITA STATUS EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	BER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 4/1/2013	

Sundry Number: 37105 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770	
SUNDR	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.	deepen existing wells below Ital laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Merio	lian: S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOF	T, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	TUBING REPAIR		☐ WATER DISPOSAL	
Report Date: 4/30/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
1,00,2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
l .	COMPLETED OPERATIONS. Clearly show a THIS WELL DURING THE MC		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 02, 2013	
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBI 435 781-4369	ER TITLE Regulatory Affairs Analyst		
SIGNATURE N/A		DATE 5/1/2013		

RECEIVED: May. 01, 2013

Sundry Number: 38924 API Well Number: 43047394570000

	STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770	
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significar reenter plugged wells, or to drill ho n for such proposals.			7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078		NE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E N	/leridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LITER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ c	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ ₽	RACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	P	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF		II TA STATUS EXTENSION	APD EXTENSION
5/31/2013			I TA STATUS EXTENSION	
	WILDCAT WELL DETERMINATION		OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly sh	-		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 12, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NU 435 781-4369	IMBER	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A			DATE 6/10/2013	

Sundry Number: 39614 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below Ital laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Merio	dian: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 6/30/2013		SI TA STATUS EXTENSION	APD EXTENSION
0,00,2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show a	ONTH OF JUNE 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 10, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 7/2/2013	

RECEIVED: Jul. 02, 2013

Sundry Number: 40940 API Well Number: 43047394570000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9		
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770				
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meri	dian: S	STATE: UTAH		
11. CHECK	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL		
Report Date: 7/31/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
170172010	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF JULY 2013. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 06, 2013 NAME (PLEASE PRINT) PHONE NUMBER TITLE					
NAME (PLEASE PRINT) Benna Muth	PHONE NUMB 435 781-4320	Regulatory Assistant			
SIGNATURE N/A		DATE 8/5/2013			

Sundry Number: 41948 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meri	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
8/31/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
to proper property on			<u>'</u>
l .	COMPLETED OPERATIONS. Clearly show THIS WELL DURING THE MO		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 03, 2013
NAME (PLEASE PRINT)	PHONE NUMB	BER TITLE	
Benna Muth	PHONE NUMB 435 781-4320	Regulatory Assistant	
SIGNATURE N/A		DATE 9/3/2013	

Sundry Number: 43115 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meri	dian: S	STATE: UTAH		
11. CHECH	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
✓ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
Report Date: 9/30/2013					
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF SEPTEMBER 2013. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 02, 2013 NAME (PLEASE PRINT) PHONE NUMBER TITLE					
NAME (PLEASE PRINT) Benna Muth	PHONE NUMB 435 781-4320	ER TITLE Regulatory Assistant			
SIGNATURE N/A		DATE 10/1/2013			

Sundry Number: 44463 API Well Number: 43047394570000

STATE OF UTAH		FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDR	RY NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		DNE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meridian	: S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
		VENT OR FLARE	WATER DISPOSAL		
✓ DRILLING REPORT					
Report Date: 10/31/2013		SI TA STATUS EXTENSION	APD EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF OCTOBER 2013. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 05, 2013					
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst			
SIGNATURE N/A		DATE 11/5/2013			
L + */ / *		I . 1/ 5/ E 5 1 5			

Sundry Number: 45478 API Well Number: 43047394570000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOUR		FORM 9
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Me	ridian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL ☐
Report Date: 11/30/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON TH	COMPLETED OPERATIONS. Clearly show	TH OF NOVEMBER 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 02, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 12/2/2013	

Sundry Number: 46510 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDR	Y NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,		HONE NUMBER: 08-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	tlP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meridia	an: S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
12/31/2013		7	OTHER:		
	WILDCAT WELL DETERMINATION	OTHER			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF DECEMBER 2013. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 06, 2014					
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	R TITLE Regulatory Affairs Analyst			
SIGNATURE N/A		DATE 1/6/2014			

Sundry Number: 47370 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below contal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078	PHONE NUMBER: 03 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Me	eridian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOI	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐
Report Date: 1/31/2014	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON T	COMPLETED OPERATIONS. Clearly show	NTH OF JANUARY 2014.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 03, 2014
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	IBER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 2/3/2014	

RECEIVED: Feb. 03, 2014

Sundry Number: 48355 API Well Number: 43047394570000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE DES	SIGNATION AND SERIAL NUMBER:
SUNDR	RY NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN,	ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deep zontal l	en existing wells below laterals. Use APPLICATION	7.UNIT or CA BIG VALLEY	AGREEMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NAM NBZ 12D-	IE and NUMBER: 31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBE 43047394	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078		NE NUMBER: -3068 Ext	9. FIELD and BIG VALLEY	POOL or WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Me	eridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOF	T, OR OTHE	ER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	CASI	NG REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	СНА	NGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	☐ con	VERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT	☐ NEW	CONSTRUCTION
	OPERATOR CHANGE		PLUG AND ABANDON	PLUC	3 BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	REC	OMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		PORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		/ENT OR FLARE		ER DISPOSAL
Report Date: 2/28/2014	WATER SHUTOFF		SI TA STATUS EXTENSION	□ APD	EXTENSION
	WILDCAT WELL DETERMINATION		OTHER	OTHER:	
l .	COMPLETED OPERATIONS. Clearly shov	-	OF FEBRUARY 2014.	Acc Uta Oil, G	epted by the the Division of the sand Mining RECORD ONLY och 05, 2014
NAME (PLEASE PRINT) Valyn Davis	PHONE NUN 435 781-4369	IBER	TITLE Regulatory Affairs Analyst		
SIGNATURE N/A			DATE 3/4/2014		

Sundry Number: 49480 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.	eepen existing wells below al laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 808-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN [FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
		7	
✓ DRILLING REPORT	L TUBING REPAIR L	UENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 3/31/2014		SI TA STATUS EXTENSION	APD EXTENSION
0,01,2011	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show all THIS WELL DURING THE MON	ITH OF MARCH 2014.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 08, 2014
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBE 435 781-4369	R TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 4/2/2014	
L + *// *		'/ =/ = V T	

RECEIVED: Apr. 02, 2014

Sundry Number: 50673 API Well Number: 43047394570000

	STATE OF UTAH				FORM 9		
ı	DEPARTMENT OF NATURAL RESOL DIVISION OF OIL, GAS, AND N		3	5.LEASE DESIGNATION UTU-81770	ON AND SERIAL NUMBER:		
SUNDR	RY NOTICES AND REPORT	SON	WELLS	6. IF INDIAN, ALLOT	TEE OR TRIBE NAME:		
	posals to drill new wells, significant reenter plugged wells, or to drill hor n for such proposals.			7.UNIT or CA AGREE BIG VALLEY	MENT NAME:		
1. TYPE OF WELL Gas Well				8. WELL NAME and NBZ 12D-31-8-2			
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047394570000)		
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 3		NE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E M	S	STATE: UTAH				
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DAT	-A		
TYPE OF SUBMISSION			TYPE OF ACTION				
	ACIDIZE		ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL	NAME		
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELI	_ TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	П	RACTURE TREAT	☐ NEW CONSTRU	CTION		
	OPERATOR CHANGE	П	PLUG AND ABANDON	PLUG BACK			
COUR DEPORT	PRODUCTION START OR RESUME	□ 6	RECLAMATION OF WELL SITE	RECOMPLETE	DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	П.	SIDETRACK TO REPAIR WELL	TEMPORARY A	RANDON		
	TUBING REPAIR		ENT OR FLARE	WATER DISPOS			
✓ DRILLING REPORT							
Report Date: 4/30/2014	WATER SHUTOFF	∟ s	SI TA STATUS EXTENSION	☐ APD EXTENSIO	N		
., 00, 20	WILDCAT WELL DETERMINATION		OTHER	OTHER:			
	COMPLETED OPERATIONS. Clearly sho			Accepted Utah Div Oil, Gas an	ision of		
NAME (PLEASE PRINT) Valyn Davis	PHONE NU 435 781-4369	MBER	TITLE Regulatory Affairs Analyst				
SIGNATURE			DATE				
N/A			5/6/2014				

Sundry Number: 51694 API Well Number: 43047394570000

	STATE OF UTAH				FORM 9		
ı	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770			
SUNDR	RY NOTICES AND REPORTS	ON WEL	LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.	deepen ex ntal lateral	isting wells below s. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24				
2. NAME OF OPERATOR: QEP ENERGY COMPANY	9. API NUMBER: 43047394570000						
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NU 308-3068		9. FIELD and POOL or WILDCAT: BIG VALLEY			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Meri	dian: S		STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICAT	ΓΕ NATUR	E OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION		Т	YPE OF ACTION				
	ACIDIZE	☐ ALTER CA	SING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE 1	TUBING	CHANGE WELL NAME			
	CHANGE WELL STATUS	COMMING	LE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTUR	E TREAT	NEW CONSTRUCTION			
	OPERATOR CHANGE	PLUG AND	DABANDON	PLUG BACK			
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMA	TION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	١		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRAC	K TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR I	FLARE	WATER DISPOSAL			
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STA	TUS EXTENSION	APD EXTENSION			
5/31/2014	WILDCAT WELL DETERMINATION	OTHER		OTHER:			
12 DESCRIBE BRODOSED OR	COMPLETED OPERATIONS. Clearly show a		dotaile including datoe d	donthe volumes etc			
	on this well during the mont			Accepted by the Utah Division of Oil, Gas and Mining FORURESCORD ON	ILY		
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369		E ulatory Affairs Analyst				
SIGNATURE N/A		DATI 6/2/	E /2014				

Sundry Number: 52872 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9					
ī	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770					
SUNDR	Y NOTICES AND REPORTS O	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
current bottom-hole depth, i	posals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: BIG VALLEY					
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24					
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000					
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY					
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH					
	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Merid	ian: S	STATE: UTAH					
11. CHECI	CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SUBMISSION	TYPE OF ACTION							
	ACIDIZE	ALTER CASING	CASING REPAIR					
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME					
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE					
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION					
Approximate date work will start: SUBSEQUENT REPORT	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK					
COUR DEPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION					
SUNDRY NOT SUNDRY NOT Do not use this form for proposals to current bottom-hole depth, reenter power	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON					
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL					
✓ DRILLING REPORT		\neg	APD EXTENSION					
·	WATER SHUTOFF □	SI TA STATUS EXTENSION						
	WILDCAT WELL DETERMINATION	OTHER	OTHER:					
	COMPLETED OPERATIONS. Clearly show all THIS WELL DURING THE MC	-	Accepted by the Utah Division of Oil, Gas and Mining FORURE, ORD ONLY					
NAME (DI EACE DDINT)	DUONE NUMBE	R TITLE						
	PHONE NUMBE 435 781-4369	Regulatory Affairs Analyst						
		DATE 7/2/2014						

RECEIVED: Jul. 02, 2014

Sundry Number: 54134 API Well Number: 43047394570000

	STATE OF UTAH			FORM 9			
ı	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND M		1	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770			
SUNDR	Y NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
current bottom-hole depth, i	reenter plugged wells, or to drill hori	ly deep zontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY			
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: NBZ 12D-31-8-24			
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047394570000			
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078		NE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL				COUNTY: UINTAH			
		eridian:	S	STATE: UTAH			
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SUBMISSION TYPE OF ACTION							
	ACIDIZE		LITER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME			
	CHANGE WELL STATUS	□ c	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	NEW CONSTRUCTION			
	OPERATOR CHANGE	P	LUG AND ABANDON	PLUG BACK			
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
SUNDR Do not use this form for procurrent bottom-hole depth, in FOR PERMIT TO DRILL form 1. TYPE OF WELL Gas Well 2. NAME OF OPERATOR: QEP ENERGY COMPANY 3. ADDRESS OF OPERATOR: 11002 East 17500 South , in its control of the process of the proces	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	□ v	ENT OR FLARE	WATER DISPOSAL			
	WATER SHUTOFF	□ s	II TA STATUS EXTENSION	APD EXTENSION			
	WILDCAT WELL DETERMINATION		THER	OTHER:			
44 DESCRIPE PROPOSED OR		····	<u>'</u>				
	•	-		Accepted by the Utah Division of Oil, Gas and Mining FORUSECO, RD ONLY			
NAME (PLEASE PRINT)	PHONE NUM	/IBER	TITLE				
Valyn Davis	435 781-4369		Regulatory Affairs Analyst				
SUNDRY NOTICES AND REPORTS Do not use this form for proposals to drill new wells, significantly current bottom-hole depth, reenter plugged wells, or to drill horiz FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL Gas Well 2. NAME OF OPERATOR: QEP ENERGY COMPANY 3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL QTR/QTR; NWSW Section: 31 Township: 08.0S Range: 24.0E Me 11. CHECK APPROPRIATE BOXES TO INDICA TYPE OF SUBMISSION ACIDIZE CHANGE TO PREVIOUS PLANS PRODUCTION START OR RESUME CHANGE WELL STATUS DEEPEN Date of Work Completion: DEEPEN DOPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPORT REPORT Date of Spud: WATER SHUTOFF 7/31/2014 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show NO ACTIVITY ON THIS WELL DURING THE N			DATE 8/5/2014				

Sundry Number: 54938 API Well Number: 43047394570000

	STATE OF UTAH	250		FORM 9		
ι			6	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770		
SUNDR	Y NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
current bottom-hole depth, i	eenter plugged wells, or to drill horizo	deep intal l	en existing wells below laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY		
1. TYPE OF WELL Gas Well						
2. NAME OF OPERATOR: QEP ENERGY COMPANY	9. API NUMBER: 43047394570000					
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303			9. FIELD and POOL or WILDCAT: BIG VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH			
		idian:	S	STATE: UTAH		
11. CHECH	APPROPRIATE BOXES TO INDICA	TE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA		
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE		ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	FRACTURE TREAT	☐ NEW CONSTRUCTION		
	OPERATOR CHANGE	☐ F	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	☐ F	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATIC FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL Gas Well 2. NAME (PLEASE PRINT) DO not use this form for proposals to drill horizontal laterals. Use APPLICATIC FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL Gas Well 2. NAME (PLEASE PRINT) DO not use this form for proposals to drill horizontal laterals. Use APPLICATIC FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF MELL Gas Well 2. NAME (PLEASE PRINT) PHONE NUMBER: 3. ADDRESS OF OPERATOR: PHONE NUMBER: 1. TYPE OF NUMBER: PHONE NUMBER: 3. 303 308-3068 Ext 4. LOCATION OF WELL PHONE NUMBER: 1. TYPE OF ACTION ACIDIZE ACIDI		SI TA STATUS EXTENSION	APD EXTENSION			
8/31/2014	WILDCAT WELL DETERMINATION	\Box	OTHER	OTHER:		
12 DESCRIPE PROPOSED OR		INTENT OF NATURAL RESOURCES N OF OIL, GAS, AND MINING ICES AND REPORTS ON WELLS drill new wells, significantly deepen existing wells below ugged wells, or to drill horizontal laterals. Use APPLICATION RUMPTOR TO A AGREEMENT NAME: BIG VALLEY 9. APINUMBER: NBZ 12D-31-8-24 9. APINUMBER: NBZ 12D-31-8-24 9. APINUMBER: NBZ 12D-31-8-24 19. FIELD and POOL or WILDCAT: BIG VALLEY COUNTY: UINTAH STATE: UTAH PRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TO THERE OF THE ACTION O				
				Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
		BER				

	FORM 9						
1			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770				
SUNDR	Y NOTICES AND REPORTS C	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
current bottom-hole depth, i	reenter plugged wells, or to drill horizon		7.UNIT or CA AGREEMENT NAME: BIG VALLEY				
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24				
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000				
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,			9. FIELD and POOL or WILDCAT: BIG VALLEY				
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: UINTAH				
QTR/QTR, SECTION, TOWNSH		ian: S	STATE: UTAH				
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SUBMISSION		TYPE OF ACTION					
	ACIDIZE [ALTER CASING	CASING REPAIR				
NOTICE OF INTENT Approximate date work will start: 10/6/2014 SUBSEQUENT REPORT Date of Work Completion:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME				
10/6/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE				
SUBSEQUENT REPORT		FRACTURE TREAT	NEW CONSTRUCTION				
SPUD REPORT		\neg					
Date of Spud:	☐ REPERFORATE CURRENT FORMATION ☐	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON				
_	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL				
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION				
	WILDCAT WELL DETERMINATION	OTHER	OTHER:				
SUDDISION OF OIL, GAS, AND MINING SUDDISION OF OIL, GAS, AND MINING SUDDISION OF OIL, GAS, AND MINING DO NOT use this form for proposals to drill new wells, significantly deepen existing wells below recommendation from proposals to drill new wells, significantly deepen existing wells below recommendation from proposals to drill new wells, significantly deepen existing wells below recommendation from proposals to drill new wells, significantly deepen existing wells below recommendation from proposals to drill new wells, significantly deepen existing wells below recommendation from proposals to drill new wells, significantly deepen existing wells below recommendation from proposals to drill new wells, significantly deepen existing wells below recommendation from the proposals. 1,1996 PRIME TO BRILL STORY (CAPPAN) 2, NAME OP EVELL 2, NAME OP EVELL 2, NAME OP EVELL 2, NAME OP EVELL 3, API NUMBER: 3, API NUM							
BELOV	V GRADE. WELD ON DRY HOLE	MARKER.					
			Date: October 06, 2014				
NAME (PLEASE PRINT)	PHONE NIIMRE	R TITLE					
SIGNATURE N/A		DATE 10/6/2014					

Sundry Number: 56333 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, r FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below contal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 03 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Me	eridian: S	STATE: UTAH
11. CHECH	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOI	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	WATER DISPOSAL
Report Date: 9/30/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
070072011	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON TH	COMPLETED OPERATIONS. Clearly show	ITH OF SEPTEMBER 2014.	
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	IBER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 10/6/2014	

Sundry Number: 57340 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND M		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	oposals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below zontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078	PHONE NUMBER: 03 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Me	eridian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDIC.	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	Casing Repair
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐
Report Date: 10/31/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
1 07 0 17 2 0 1 1	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON T	COMPLETED OPERATIONS. Clearly show	NTH OF OCTOBER 2014.	depths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 03, 2014
NAME (PLEASE PRINT) Valyn Davis	PHONE NUN 435 781-4369	IBER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 11/3/2014	

Sundry Number: 58326 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	tip, range, Meridian: 31 Township: 08.0S Range: 24.0E Mei	ridian: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			TEMPORARY ABANDON
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	
✓ DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL
Report Date: 11/30/2014	WATER SHUTOFF	☐ SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 03, 2014
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 12/1/2014	

Sundry Number: 59582 API Well Number: 43047394570000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-81770
SUNDR	RY NOTICES AND REPORTS C	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: BIG VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBZ 12D-31-8-24
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047394570000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,		PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: BIG VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1966 FSL 0668 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 31 Township: 08.0S Range: 24.0E Merid	ian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
		ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN [FRACTURE TREAT	☐ NEW CONSTRUCTION
12/11/2014	OPERATOR CHANGE	✓ PLUG AND ABANDON	PLUG BACK
	<u></u>		
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
ON 12/11/2014, QEF WELL AS FOLLOWS: CONDUCTOR WITH MARKER. WELL PLUG BI	COMPLETED OPERATIONS. Clearly show all PENERGY COMPANY PLUGGIST CUT OFF WELL HEAD 3 FEET H 1.5 YARDS OF CEMENT, ANI GGING WAS WITNESSED BY JALM. N 40° 04.629′ W 109° 15	ED THE REFERENCED BELOW GRADE, FILLED D INSTALL DRY HOLE .KE BIRCHELL WITH THE .516'	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 03, 2015
NAME (PLEASE PRINT) Benna Muth	PHONE NUMBE 435 781-4320	Regulatory Assistant	
SIGNATURE N/A		DATE 1/6/2015	

Sundry	Numb	er:	60439 A	PI Well	Number	: 430	473	94570000					
				TATE OF UT T OF NATURAI F OIL, GAS	RESOURCES				(hig 5. Li	hlight o	REPORT Changes) SIGNATION AND	-	FORM 8
WEL	L CON	IPLE	TION OR I	RECOMPL	ETION RI	EPORT	ANE	LOG	6. IF	INDIAN,	ALLOTTEE OR T	RIBE NA	ME
1a. TYPE OF WEL	L:		OIL	GAS WELL 🔽	DRY	OTHER	76 _{3.}				AGREEMENT NA	AME	iloo - fi
b. TYPE OF WOR NEW WELL	HORIZ. LATS.	1	DEEP-	RE- ENTRY	DIFF. RESVR.	OTHER	P&A		. 1	NBZ 1	E and NUMBER: 2D-31-8-24	1	
2. NAME OF OPER QEP ENE		OMPA	NY		<u> </u>				100000000000000000000000000000000000000	PI NUMBE 13047	er: 39457		
3. ADDRESS OF 0 11002 E. 1			спу VERNAL	_ STATE	UT ZIP 840	078		NUMBER: 5) 781-4320			POOL, OR WILD	CAT	
	NWSW	, 1966	6' FSL, 668' F		6' FSL, 668'	FWL			2000 200		, section, tow N: 31 8S	изнір, і 24E	
AT TOTAL DEP	TH: NWS	SW, 1	966' FSL, 668	3' FWL						12. COUNTY 13. STATE UTAH			
14. DATE SPUDDE 10/30/201		15. DATE	T.D. REACHED:	16. DATE COMPL 12/11/20		ABANDONED	V	READY TO PRODUC	E		VATIONS (DF, RED)	(B, RT, G	SL):
18. TOTAL DEPTH	: MD		19. PLUC	BACK T.D.: MD		20. IF MU	LTIPLE CO	OMPLETIONS, HOW N	MANY? *		TH BRIDGE M .UG SET:	D VD	
22. TYPE ELECTR	IC AND OTHE	ER MECH	IANICAL LOGS RUN	(Submit copy of each)	1	WAS DST	L CORED? RUN? NAL SURVEY?	NO NO NO	□ ,	YES (SL	ibmit ana ibmit rep ibmit cop	ort)
24. CASING AND	LINER RECO	RD (Repo	ort all strings set in v	vell)									
HOLE SIZE	SIZE/GF	RADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEI DEPT		CEMENT TYPE & NO. OF SACKS	SLU VOLUM		CEMENT TOP	** AN	OUNT PULLED
20	14			0	40			35					
Wilesconduct -												_	
						-						+	
•						\vdash						_	
B-000													-
25. TUBING RECO	ORD												

SIZE DEPTH SET (MD) PACKER SET (MD) SIZE DEPTH SET (MD) PACKER SET (MD) SIZE DEPTH SET (MD) PACKER SET (MD) 26. PRODUCING INTERVALS 27. PERFORATION RECORD FORMATION NAME BOTTOM (MD) TOP (TVD) INTERVAL (Top/Bot - MD) TOP (MD) BOTTOM (TVD) SIZE NO. HOLES PERFORATION STATUS (A) Open Squeezed (B) Open Squeezed (C) Squeezed (D) Open Squeezed 28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND TYPE OF MATERIAL

GEOLOGIC REPORT

CORE ANALYSIS

(CONTINUED ON BACK) (5/2000)

29. ENCLOSED ATTACHMENTS:

ELECTRICAL/MECHANICAL LOGS

SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION

RECEIVED: Feb. 02, 2015

☐ DST REPORT ☐ DIRECTIONAL SURVEY

OTHER:

30. WELL STATUS:

P&A

Sundry Number: 60439 API Well Number: 43047394570000

31. INITIAL PRO	DUCTION			INT	ERVAL A (As sho	wn in item #26)					
DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	I OIL – BBL:	GAS - MCF:	CF: WATER - BBL:		PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS – MCF:	WATER – E	BBL:	INTERVAL STATUS:
			250	INT	ERVAL B (As sho	wn in item #26)	•		***************************************		·
DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER - BBL:		PROD. METHOD:
CHOKE SIZE: TBG, PRESS.		CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	N OIL-BBL:	GAS - MCF:	WATER - BBL:		INTERVAL STATUS:
	Mar. 200	**	-X4/j	INT	ERVAL C (As sho	wn in item #26)		***************************************			•
DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF: WATER – BBL:		PROD. METHOD:	
CHOKE SIZE: TBG. PRESS.		CSG. PRESS.	G. PRESS. API GRAVITY		GAS/OIL RATIO	24 HR PRODUCTION RATES: →	N OIL-BBL:	GAS - MCF:	WATER – BBL:		INTERVAL STATUS:
INTERVAL D (As shown in item #26)											
DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER - I	BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	N OIL – BBL:	GAS – MCF:	WATER - I	BBL:	INTERVAL STATUS:
32. DISPOSITIO	N OF GAS (Sold,	Used for Fuel, V	ented, Etc.)								
33. SUMMARY OF POROUS ZONES (Include Aquifers):							34. FORMATION (Log) MARKERS:				
Show all importa tested, cushion u	nt zones of porosi sed, time tool ope	ty and contents the n, flowing and shu	ereof: Cored interva t-in pressures and	als and all drill-sterr recoveries.	n tests, including de	epth interval					
		Top Bottom (MD) (MD)		Descriptions, Contents, etc.		o.		Name		Top (Measured Depth)	
35. ADDITIONA	.L. REMARKS (Inc	lude plugging pr	ocedure)								
.5.		T 1512		complete and corr	ect as determined	l from all available red					<u></u>
NAME (PLEASE PRINT) BENNA MUTH						TITLE REGULATORY ASSISTANT - CONTRACT					
SIGNATURE Sema Muth						DATE 2/2/2015					
compdrillinrecor	oleting or plug g horizontal la mpleting to a c	different produ	ell nexisting well cing formation	bore •	significantly of drilling hydro	previously plugge deepening an exic carbon explorato	sting well bor ry holes, such	e below the pre			
* ITEM 20: S	how the numb	per of complet	ions if product	ion is measure	ed separately f	rom two or more	formations.				

Send to:

Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 Box 145801

Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

801-359-3940 Fax:

(5/2000)

RECEIVED: Feb. 02, 2015

^{**} ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).